



LAWN, GARDEN & GOLF

INDUSTRIAL

WHEELS

TUBES



ATV/UTV - POWERSPORTS

AGRICULTURE & CONSTRUCTION



**TIRES THAT WORK AS HARD AS YOU DO!**

**CARLISLE**

Proud Member of The Carlstar Group



# PROFESSIONALS ON YOUR DUTY

SINCE 1917



TIRES THAT WORK AS HARD AS YOU DO!



[WWW.CARLSTARGROUP.EU](http://WWW.CARLSTARGROUP.EU)

# WELCOME!

by The Carlstar Group

The Carlstar Group is a US-based manufacturer of original equipment and aftermarket specialty tires and wheels for the agriculture, construction, outdoor power equipment and powersports market. The diverse portfolio of solutions are offered under several leading brands including Carlisle® tires and wheels, ITP® tires and wheels, Cragar, Black Rock, Unique wheels as well as Marastar® tires.

The Carlstar Group proudly offers you its broad line of Carlisle® performance products. For exactly 99 years, Carlisle® has offered specialty tire products with continued commitment to new product development and excellence in production and application. The Carlisle® tires present a great variety of solutions for all your needs; for outdoor power equipment, golf carts, ATVs, UTVs, agriculture, construction and industrial applications.

In the year 2016 The Carlstar Group has launched the Carlisle® Turf Smart® in a 4 ply edition to support our customers needs in this aspect, too. The range of sizes and ply ratings offered in the Carlisle® Farm Specialist Flotation Implement tires has also been expanded to support growing need for its sophisticated construction and unique profile. For more fun on the terrain, the first Carlisle® branded all-purpose radial utility tire, the Versa Trail has been added.

Our newest edition of the Carlisle® Specialty Tire Catalog affords an easy access to the latest product information, technical specifications, tread designs and applications.

For more information please visit [www.carlstargroup.eu](http://www.carlstargroup.eu) or contact your Carlstar Group Sales or Customer Service Representative.



# TABLE OF CONTENTS



## OUTDOOR POWER EQUIPMENT

6.

|                                                                                                                        |    |
|------------------------------------------------------------------------------------------------------------------------|----|
| TURF SAVER® - Market leading classic, popular for residential mowing applications. _____                               | 8  |
| TURF SAVER II - Turf-friendly market leading design for residential mowing applications. _____                         | 9  |
| TURF TRAC RIS - Second generation Turf Saver with round shoulder design for residential applications. _____            | 9  |
| TURF MASTER® - Commercial grade performance optimizes stability and traction. _____                                    | 10 |
| MULTI TRAC CIS - Commercial grade performance optimizes stability and traction. _____                                  | 11 |
| TURF SMART® - Supreme traction, turf protection and durability for the pro turf maintenance market. _____              | 12 |
| TURF CTR - Tread lightly with this low impact, round shouldered design. _____                                          | 12 |
| FAST TRAX - Unique low profile tire features aggressive tread and great traction. _____                                | 13 |
| ULTRA TRAC - Ultra high flotation tires. Popular for large ground maintenance equipment applications. _____            | 13 |
| SMOOTH - Turf-friendly smooth profile for pro mowers and grounds maintenance equipment. _____                          | 14 |
| AT101 CHEVRON - Special lug with bar design for ZTR drive tires and other applications. _____                          | 14 |
| STRAIGHT RIB - Another top turf care design. Great for ZTR, golf and other applications. _____                         | 15 |
| TOUR MAX™ - Upscale choice for golf cars and closed-community vehicles. _____                                          | 15 |
| TURF GLIDE - A traditional course classic featuring shock absorbing sidewalls and round shoulder profile. _____        | 16 |
| LINKS - Premium level golf tire product with unmatched stability, durability and puncture resistance. _____            | 16 |
| LINKSPORT® - Advanced design golf tire with larger tread contact area and progressive interlocking matrix tread. _____ | 16 |
| FAIRWAY PRO - A workhorse value delivering maximum golf course service. _____                                          | 18 |
| INDUSTRIAL TRAX - Versatile tire designed for hard surface utility vehicle applications. _____                         | 18 |
| SAWTOOTH - Functional tread design popular for material handling equipment. _____                                      | 19 |
| SUPER LUG/POWER TRAC/TRU POWER - Aggressive traction used for tiller and garden tractor applications. _____            | 19 |
| WHEELBARROW - Classic Wheelbarrow Rib for lawn carts, spreaders and wheelbarrows. _____                                | 20 |
| STUD - Versatile stud tread suitable for a variety of rugged applications. _____                                       | 20 |
| XTRAC - Aggressive tread for snow thrower and other push-behind applications. _____                                    | 21 |
| SNOW HOG - Snow thrower design with added traction. _____                                                              | 21 |
| RELIANCE SEMI PNEUMATIC - For use on commercial mowers, hand trucks and other material handling applications. _____    | 22 |
| FLAT FREE - Flat free assemblies for lawn and garden, wheelbarrows, hand trucks and lawn mowers. _____                 | 22 |



## ATV & UTV

24.

|                                                                                                                 |    |
|-----------------------------------------------------------------------------------------------------------------|----|
| A-C-T - Radial All-Conditions-Tire. Deep self-cleaning open tread. _____                                        | 26 |
| A-C-T HD - Heavy duty All-Conditions-Tire with increased puncture resistance and load capabilities. _____       | 26 |
| AT489 - Powersports Industry favorite. The 489 is light, strong and stable. _____                               | 27 |
| AT489 XIL - Lightweight, 6-ply rated 489 for exceptional intermediate to hard surface use. _____                | 28 |
| AT 489 II - New generation of the 489 is light, strong and stable. _____                                        | 28 |
| BADLANDS AIR - Smooth riding technology with 3 ply radial construction. _____                                   | 29 |
| BADLANDS XTR - Beefed up Badlands radial construction with enhanced handling and traction. _____                | 29 |
| BLACK ROCK - Versatile conditions tire, but definitely mud trail terrain focused. _____                         | 30 |
| HD FIELD TRAX - All around get-it-done field, farm and general outdoor favorite. _____                          | 30 |
| MUD WOLF® - Outstanding mudslinger performance without sacrificing ride. _____                                  | 31 |
| MUD WOLF® XL - Mud performer offered in additional and larger, more lightweight sizes. _____                    | 31 |
| KNOBBY - Classic knobby tread design yielding both puncture resistance and traction. _____                      | 31 |
| TRAIL WOLF® SPORT - Recreational rider offering sport specific front/rear tread designs. _____                  | 32 |
| STRYKER - Chevron design all-purpose tire that's work ready and self-cleaning. _____                            | 32 |
| TRAIL WOLF® - Forward traction design with extended wear compound for recreational use. _____                   | 33 |
| TURF TAMER - From competitive track to recreation, the Turf Tamer is a longtime favorite. _____                 | 34 |
| ALL TRAIL®, ALL TRAIL II - Excellent for utility on pavement, concrete and hard-packed soil applications. _____ | 34 |
| TRAIL PRO - Constructed for increased shock absorption that offers a smooth ride under mixed conditions. _____  | 35 |
| VERSA TRAIL - All-purpose utility with tough-tread, durable 6-ply rated construction. _____                     | 35 |



## AGRICULTURE & CONSTRUCTION

36.

|                                                                                                                           |    |
|---------------------------------------------------------------------------------------------------------------------------|----|
| FARM SPECIALIST FLOTATION IMPLEMENT - Designed for heavy duty work with strong carcass to perform under all conditions. — | 38 |
| HAY RAKE HEAVY DUTY - Built for hay rake machines with improved self-cleaning ability. —                                  | 38 |
| FARM SPECIALIST® F2 TRIPLE RIB - Triple rib front for improved steering in loose soil. —                                  | 39 |
| FARM SPECIALIST® F2M QUAD RIB - Quad rib front design. Flotation and variable soil steering. —                            | 39 |
| FARM SPECIALIST® F-3 - Industrial front for front backhoe loaders. —                                                      | 40 |
| FARM SPECIALIST® FARM IMPLEMENT F-I - Highway Service Implements. —                                                       | 40 |
| FARM SPECIALIST® I -1 - Implement tire for wagons, tankers, seeders, balers and other flotation applications. —           | 41 |
| FARM SPECIALIST® HF-1 - Wide flotation Implement tire for balers, wagons and harvest equipments. —                        | 42 |
| TRAC CHIEF® I-3 - Outstanding choice for backhoe applications. Traction implement design. —                               | 42 |
| TRAC CHIEF XT - Standard duty full traction skid steer designs in extra load ratings. —                                   | 43 |
| TURF PRO R-3 - Flotation tread design for general turf and mowing applications. —                                         | 43 |
| MULTI TRAC CS R-3 - For general turf and mowing applications for minimal ground disturbance. —                            | 44 |
| XTRA GRIP R4 - Heavy duty design for backhoe and industrial applications. —                                               | 44 |
| WT300 - Turf-friendly compact skid steer tractor design for light duty applications. —                                    | 45 |
| GUARD DOG HD - HD Premium level performance for skid steer designs in extra loading ratings. —                            | 45 |
| ULTRA GUARD - Severe service skid steer with open shoulder tread design. —                                                | 46 |
| ULTRA GUARD LVT - Extreme service skid steer tire with low void tread area. —                                             | 46 |
| ULTRA GUARD MX - HD skid steer tire protects against damage from worksite debris. —                                       | 47 |
| USA LOADER - Aerial platform lifts, backhoes and skid steer tractor applications. —                                       | 47 |
| TRAC CHIEF - Standard, all-purpose skid steer with original equipment quality. —                                          | 48 |
| FARM SPECIALIST® R-1 - General all purpose tractor tire for multiple soil conditions. —                                   | 49 |
| FARM SPECIALIST® R-1-HA - Classic high angle straight bar tread. —                                                        | 49 |
| FARM SPECIAL TRAC RADIAL - Super traction for enhanced use. —                                                             | 50 |



## INDUSTRIAL

52.

|                                                                                                         |    |
|---------------------------------------------------------------------------------------------------------|----|
| INDUSTRIAL DEEP TRACTION - Standard service application for forklifts. —                                | 54 |
| ROAD ROLLER - Heat resistant design for paving equipment. —                                             | 54 |
| INDUSTRIAL ALL PURPOSE - Multi-purpose tire for industrial equipment. —                                 | 54 |
| PREMIUM WIDE TRAC - Forklift and material handling applications -premium levels. —                      | 55 |
| GROUND FORCE ULTRA RIB GSE - Deep tread design with premium compounding for ground support equipment. — | 55 |



## WHEELS

56.

|                                                                     |    |
|---------------------------------------------------------------------|----|
| NON-REVERSIBLE, SOLID CENTER, OFF WHITE AG WHEEL - Boxed —          | 57 |
| REVERSIBLE, COINED OFF WHITE AG WHEEL WITHOUT VALVE GUARD - Boxed — | 57 |



## TUBES

58.





# LAWN, GARDEN & GOLF

## OUTDOOR POWER EQUIPMENT

TREAD VIEW QUICK REFERENCE GUIDE

A wide selection of turf proven, purpose-designed tread offerings coupled with application-based, puncture resistant compounding makes Carlisle a leading source for outdoor power equipment turf specialty tires.



*Featured*

## New Products!

Our marketing leading classic, the **Turf Saver** is now available with new 4 ply sizes



*See on page 8*

The new **Flat Free** tire: full assemblies for lawn and garden, wheelbarrows, hand truck and lawn mowers.



*See on page 22*





**TURF SAVER II** Page 9



**TURF TRAC R/S** Page 9



**TURF MASTER  
MULTI TRAC C/S** Page 10



**TURF SMART** Page 12



**TURF CTR** Page 12



**FAST TRAX** Page 13



**ULTRA TRAC** Page 13



**SMOOTH** Page 14



**AT 101 CHEVRON** Page 14



**STRAIGHT RIB** Page 15



**TOUR MAX** Page 15



**TURF GLIDE** Page 16



**LINKS** Page 16



**LINKSPORT** Page 16



**FAIRWAY PRO** Page 18



**INDUSTRIAL TRAX** Page 18



**SAWTOOTH** Page 19



**SUPER LUG  
POWER TRAC / TRU POWER** Page 19



**WHEELBARROW** Page 20



**STUD** Page 20



**XTRAC** Page 21



**SNOW HOG** Page 21



**RELIANCE** Page 22



## TURF SAVER®

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

With its classing square shouldered design Carlisle Turf Saver is the market leader for residential riding lawn mowers worldwide. The flat profile and chevron tread provide excellent traction. Turf friendly design and breadth of line make it versatile in both application and fitment.



| Size                | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 9 x 3.50 - 4        | 5110111      | 4   | 223,52                | 91,44              | 2,50             | 118                             | 345     | 0,91             |
| 4.10 - 4            | 5110251      | 2   | 276,86                | 96,52              | 2,50             | 102                             | 165     | 1,27             |
| 11 x 4.00 - 4       | 5110271      | 2   | 284,48                | 105,16             | 2,50             | 98                              | 165     | 1,36             |
| 11 x 4.00 - 5       | 5110101      | 2   | 276,09                | 101,34             | 3,00             | 95                              | 152     | 1,45             |
| 13 x 5.00 - 6       | 5110201      | 2   | 325,88                | 118,87             | 3,50             | 132                             | 138     | 1,59             |
| 13 x 5.00 - 6       | 5110211      | 4   | 330,20                | 120,90             | 3,50             | 200                             | 276     | 1,96             |
| 13 x 6.50 - 6       | 5111851      | 2   | 337,06                | 164,85             | 4,50             | 145                             | 97      | 2,49             |
| 13 x 6.50 - 6       | 5111861      | 4   | 340,11                | 160,53             | 4,50             | 218                             | 193     | 2,68             |
| 15 x 6.00 - 6       | 5110301      | 2   | 363,73                | 161,29             | 4,50             | 166                             | 97      | 2,16             |
| 15 x 6.00 - 6       | 6L00821      | 4   | 370,80                | 161,30             | 4,50             | 256                             | 207     | 2,20             |
| 16 x 6.50 - 8       | 5110951      | 2   | 412,75                | 166,62             | 5,38             | 172                             | 83      | 2,70             |
| 16 x 6.50 - 8       | 5110961      | 4   | 415,29                | 161,54             | 5,38             | 279                             | 193     | 3,05             |
| 16 x 7.50 - 8       | 5112001      | 2   | 415,54                | 177,29             | 5,38             | 218                             | 83      | 3,42             |
| 4.80 - 8            | 5112501      | 2   | 418,59                | 120,90             | 3,75             | 200                             | 138     | 2,59             |
| 18 x 6.50 - 8       | 5110981      | 2   | 437,90                | 163,32             | 5,38             | 236                             | 97      | 3,00             |
| 18 x 6.50 - 8       | 5110991      | 4   | 437,90                | 164,08             | 5,38             | 345                             | 193     | 3,62             |
| 18 x 6.50 - 8       | 5110981      | 2   | 437,90                | 163,30             | 5,38             | 236                             | 97      | 3,00             |
| 18 x 6.50 - 8       | 5110991      | 4   | 437,90                | 164,10             | 5,38             | 345                             | 193     | 3,60             |
| 18 x 7.50 - 8       | 5111021      | 4   | 456,90                | 183,40             | 5,38             | 365                             | 166     | 4,30             |
| 18 x 7.50 - 8       | 5111021      | 4   | 456,95                | 183,39             | 5,38             | 365                             | 165     | 4,33             |
| 18 x 8.50 - 8       | 5110701      | 2   | 454,66                | 207,52             | 7,00             | 236                             | 69      | 4,09             |
| 18 x 8.50 - 8       | 5110711      | 4   | 462,79                | 207,26             | 7,00             | 374                             | 152     | 4,52             |
| 18 x 9.50 - 8       | 5110841      | 2   | 451,10                | 240,54             | 7,00             | 315                             | 83      | 4,80             |
| 18 x 9.50 - 8       | 511081       | 4   | 458,47                | 242,57             | 7,00             | 463                             | 165     | 5,02             |
| NEW 18 x 9.50 - 8   | 6L05011      | 4   | 454,70                | 238,80             | 7,00             | 425                             | 138     | 5,13             |
| 18 x 9.50 - 8       | 511082       | 6   | 469,39                | 242,06             | 7,00             | 587                             | 248     | 5,22             |
| 20 x 8.00 - 8       | 5110801      | 2   | 487,17                | 227,84             | 7,00             | 272                             | 69      | 4,68             |
| NEW 20 x 8.00 - 8   | 6L05021      | 4   | 487,70                | 224,80             | 7,00             | 438                             | 152     | 4,99             |
| 20 x 8.00 - 8       | 5110791      | 2   | 489,00                | 219,70             | 7,00             | 272                             | 69      | 4,40             |
| NEW 20 x 10.00 - 8  | 5111041      | 4   | 500,40                | 261,40             | 7,00             | 544                             | 152     | 6,60             |
| 20 x 10.00 - 8      | 5111011      | 2   | 497,84                | 264,67             | 7,00             | 345                             | 69      | 6,10             |
| 20 x 8.00 - 10      | 511111       | 4   | 508,76                | 201,42             | 6,00             | 413                             | 165     | 5,35             |
| NEW 20 x 10.00 - 10 | 511116       | 4   | 515,37                | 224,28             | 6,00             | 556                             | 165     | 6,06             |
| NEW 21 x 7.00 - 10  | 511140       | 2   | 512,32                | 174,24             | 5,00             | 290                             | 83      | 4,77             |
| 22 x 9.50 - 12      | 511051       | 2   | 541,78                | 224,79             | 7,00             | 356                             | 83      | 6,37             |
| 22 x 10.00 - 8      | 511008       | 2   | 527,30                | 258,57             | 7,00             | 390                             | 69      | 6,05             |
| 23 x 8.50 - 12      | 511090       | 2   | 586,23                | 214,88             | 7,00             | 324                             | 69      | 6,13             |
| 23 x 8.50 - 12      | 6L0510       | 4   | 584,20                | 215,90             | 7,00             | 500                             | 152     | 7,03             |
| NEW 23 x 9.50 - 12  | 511100       | 2   | 589,53                | 238,00             | 7,00             | 417                             | 83      | 6,50             |
| 23 x 10.00 - 12     | 6L03381      | 2   | 577,90                | 262,90             | 8,50             | 399                             | 69      | 7,80             |
| 23 x 10.50 - 12     | 511120       | 2   | 574,55                | 265,43             | 8,50             | 399                             | 69      | 7,05             |
| 23 x 10.50 - 12     | 6L05031      | 4   | 579,10                | 260,40             | 8,50             | 600                             | 138     | 8,16             |
| NEW 23 x 10.50 - 12 | 511121       | 4   | 579,88                | 262,38             | 8,50             | 599                             | 138     | 7,47             |
| 24 x 12.00 - 12     | 511075       | 2   | 584,20                | 294,64             | 8,50             | 517                             | 69      | 8,81             |
| NEW 24 x 12.00 - 12 | 6L0511       | 4   | 586,70                | 292,10             | 8,50             | 770                             | 138     | 9,75             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.





## TURF SAVER II

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

The Turf Saver II is a modified version of the Turf Saver. It features a round shoulder profile and is designed for use on residential riding lawn mowers. It is also commonly used for towable lawn carts, spreaders, sprayers and other mower attachments.

| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 13 x 5.00 - 6 | 5112201      | 2   | 316,23                | 115,06             | 3,50             | 132                             | 138     | 1,49             |
| 15 x 6.00 - 6 | 5112301      | 2   | 363,20                | 150,62             | 4,50             | 166                             | 97      | 1,93             |
| 16 x 6.50 - 8 | 5112951      | 2   | 408,69                | 157,23             | 5,38             | 186                             | 97      | 2,40             |
| 18 x 8.50 - 8 | 5112701      | 2   | 446,02                | 208,53             | 7,00             | 236                             | 69      | 3,36             |
| 18 x 9.50 - 8 | 511284       | 2   | 451,61                | 230,63             | 7,00             | 315                             | 83      | 2,98             |
| 20 x 8.00 - 8 | 5112801      | 2   | 485,14                | 224,79             | 7,00             | 272                             | 69      | 4,00             |

All Lawn, Garden and Golf are Non-Highway Service [NHS] Tires.



## TURF TRAC R/S

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

Carlisle's Turf Trac R/S offers all-around performance with a balanced profile and ample tread depth. Applications range from residential zero turn mowers to utility vehicles. The variety of sizes available corresponds to the many possible uses.



| Size             | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 11 x 4.00 - 5    | 5753331      | 2   | 270,02                | 100,84             | 3,00             | 95                              | 152     | 1,20             |
| 13 x 5.00 - 6    | 6L02671      | 4   | 325,10                | 114,30             | 3,50             | 200                             | 275     | 2,00             |
| 15 x 6.00 - 6    | 5753191      | 4   | 365,76                | 160,02             | 4,50             | 256                             | 207     | 2,72             |
| 16 x 6.50 - 8    | 6L02651      | 4   | 406,40                | 167,64             | 5,38             | 280                             | 193     | 2,90             |
| 16 x 6.50 - 8    | 575304       | 4   | 405,64                | 172,21             | 5,38             | 281                             | 193     | 3,28             |
| 18 x 8.50 - 8    | 5753311      | 4   | 434,34                | 205,74             | 7,00             | 374                             | 152     | 4,49             |
| 20 x 10.00 - 8   | 575341       | 4   | 508,00                | 238,76             | 7,00             | 544                             | 152     | 4,49             |
| 20 x 10.00 - 8   | 5753411      | 4   | 500,40                | 246,40             | 7,00             | 544                             | 152     | 5,20             |
| 22.5 x 10.00 - 8 | 575387       | 4   | 574,55                | 254,00             | 7,00             | 630                             | 152     | 7,49             |
| 25 x 12.00 - 9   | 50D3T7       | 4   | 652,78                | 292,10             | 9,00             | 826                             | 138     | 8,55             |
| 20 x 10.00 - 10  | 50D362       | 4   | 496,57                | 237,74             | 8,00             | 531                             | 152     | 5,66             |
| 20 x 12.00 - 10  | 575315       | 4   | 502,92                | 256,54             | 7,00             | 599                             | 138     | 6,48             |
| 22 x 9.50 - 10   | 5753N1       | 4   | 551,18                | 241,30             | 7,00             | 442                             | 97      | 6,60             |
| 24 x 9.50 - 10   | 5753P2       | 4   | 617,22                | 248,92             | 7,75             | 644                             | 152     | 7,43             |
| 24 x 12.00 - 10  | 5753A6       | 4   | 622,30                | 292,10             | 7,75             | 776                             | 138     | 9,38             |
| 23 x 10.50 - 12  | 575367       | 4   | 579,12                | 264,16             | 8,50             | 630                             | 138     | 6,05             |
| 24 x 12.00 - 12  | 575390       | 6   | 591,82                | 279,40             | 8,50             | 1030                            | 221     | 9,70             |
| 26 x 12.00 - 12  | 50D363       | 10  | 642,62                | 314,96             | 10,50            | 1497                            | 359     | 11,77            |

All Lawn, Garden and Golf are Non-Highway Service [NHS] Tires.



## TURF MASTER®

## Consumer, Commercial Turf Equipment, Golf Cars &amp; Utility Vehicles

Perfect choice for professional users requiring the highest performance and dependability from their equipment. These commercial grade tires feature our most durable tread compound with deep tread elements in a profile optimized for stability and traction.

| Size             | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 13 x 5.00 - 6    | 5110001      | 4   | 320,00                | 121,90             | 3,50             | 200                             | 276     | 2,20             |
| 16 X 6.50 - 8    | 574304       | 4   | 405,89                | 161,04             | 5,38             | 279                             | 193     | 3,32             |
| 16 x 6.50 - 8    | 5114951      | 2   | 411,00                | 162,10             | 5,38             | 186                             | 97      | 2,80             |
| 18 x 7.00 - 8    | 574351       | 4   | 457,20                | 177,80             | 5,38             | 356                             | 179     | 4,06             |
| 18 x 8.50 - 8    | 574365       | 8   | 447,04                | 210,82             | 7,00             | 581                             | 303     | 6,49             |
| 18 x 9.50 - 8    | 574332       | 4   | 457,20                | 231,14             | 7,00             | 472                             | 165     | 5,13             |
| 18 x 9.50 - 8    | 574399       | 6   | 461,77                | 234,95             | 7,00             | 587                             | 248     | 5,59             |
| 20 x 8.00 - 8    | 574359       | 2   | 487,93                | 231,16             | 7,00             | 272                             | 69      | 5,37             |
| 20 X 10.00 - 8   | 574341       | 4   | 497,84                | 238,76             | 7,00             | 544                             | 152     | 5,92             |
| 18 X 8.00 - 10   | 574311       | 4   | 457,20                | 198,12             | 7,00             | 356                             | 152     | 4,47             |
| 18 x 8.50 - 10   | 5743U1       | 4   | 462,28                | 205,74             | 7,00             | 374                             | 152     | 4,59             |
| 18 x 10.50 - 10  | 5743E5       | 4   | 452,12                | 259,08             | 8,50             | 451                             | 138     | 5,91             |
| 20 x 10.00 - 10  | 5114151      | 2   | 499,40                | 228,60             | 6,00             | 336                             | 69      | 6,00             |
| 20 x 10.00 - 10  | 5114161      | 4   | 508,00                | 223,50             | 6,00             | 531                             | 152     | 6,30             |
| 20 x 10.00 - 10  | 5743C2       | 6   | 497,84                | 236,22             | 8,00             | 649                             | 221     | 7,69             |
| 22 X 10.50 - 12  | 511426       | 4   | 570,99                | 250,95             | 8,50             | 587                             | 138     | 7,29             |
| 22 x 10.00 - 10  | 511256       | 4   | 562,10                | 248,20             | 10,00            | 617                             | 152     | 7,20             |
| 23 x 8.50 - 12   | 574372       | 6   | 571,50                | 210,82             | 7,00             | 649                             | 234     | 8,44             |
| 23 x 9.50 - 12   | 574329       | 4   | 589,28                | 228,60             | 7,00             | 558                             | 138     | 7,52             |
| 23 x 10.50 - 12  | 574367       | 4   | 578,87                | 260,60             | 8,50             | 599                             | 138     | 8,05             |
| 23 x 10.50 - 12  | 574353       | 6   | 571,25                | 259,33             | 8,50             | 798                             | 221     | 10,26            |
| 23 x 10.50 - 12  | 511407       | 2   | 565,20                | 254,30             | 8,50             | 399                             | 69      | 7,40             |
| 23 x 9.50 - 12   | 511406       | 4   | 586,70                | 249,20             | 7,00             | 558                             | 166     | 9,50             |
| 24 x 8.50 - 14   | 574324       | 4   | 604,52                | 212,09             | 7,00             | 558                             | 152     | 8,01             |
| 25 x 9.00 - 12   | 574368       | 4   | 633,48                | 242,06             | 8,00             | 689                             | 165     | 7,95             |
| 25 x 11.00 - 12  | 574369       | 4   | 640,08                | 275,08             | 8,00             | 828                             | 165     | 9,97             |
| 25 x 8.50 - 14   | 574339       | 4   | 635,00                | 217,93             | 7,00             | 599                             | 152     | 9,42             |
| 25 x 8.50 - 14   | 574371       | 6   | 632,46                | 218,44             | 7,00             | 748                             | 221     | 10,86            |
| 26 x 12.00 - 12  | 574361       | 4   | 645,16                | 289,56             | 8,50             | 798                             | 138     | 11,61            |
| 26 x 12.00 - 12  | 574377       | 6   | 641,86                | 291,08             | 8,50             | 1030                            | 207     | 12,17            |
| 26 x 14.00 - 12  | 5743W7       | 4   | 647,70                | 355,60             | 10,50            | 962                             | 124     | 14,30            |
| 27 x 8.50 - 15*  | 574348       | 4   | 675,64                | 215,90             | 7,00             | 558                             | 207     | 11,87            |
| 27 x 8.50 - 15*  | 574356       | 6   | 675,64                | 218,44             | 7,00             | 712                             | 310     | 11,74            |
| 27 x 10.50 - 15* | 5743H6       | 4   | 683,26                | 259,08             | 8,00             | 599                             | 207     | 13,67            |
| 27 x 10.50 - 15* | 560371       | 8   | 685,80                | 266,70             | 8,50             | 848                             | 414     | 14,55            |
| 29 x 12.50 - 15* | 560478       | 10  | 736,60                | 317,50             | 10,00            | 1120                            | 414     | 18,02            |
| 31 x 13.50 - 15* | 560362       | 4   | 800,10                | 342,90             | 10,00            | 748                             | 138     | 20,91            |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires. \*Max load @ 30MPH = 48 km/h





## MULTI TRAC CIS

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

Perfect choice for professional users requiring the highest performance and dependability from their equipment. These commercial grade tires feature our most durable tread compound with deep tread elements in a profile optimized for stability and traction.



| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 13 x 6.50 - 6   | 5112491      | 4   | 340,11                | 155,70             | 4,50             | 218                             | 193     | 2,63             |
| 15 x 6.00 - 6   | 5112521      | 4   | 365,51                | 152,15             | 4,50             | 256                             | 207     | 2,72             |
| 15 x 6.50 - 8   | 5112531      | 2   | 381,00                | 156,21             | 5,38             | 175                             | 97      | 2,83             |
| 15 x 6.00 - 6   | 5743451      | 2   | 371,10                | 151,40             | 4,50             | 166                             | 97      | 2,40             |
| 16 x 6.50 - 8   | 5114011      | 4   | 418,08                | 159,77             | 5,38             | 279                             | 193     | 3,35             |
| 16 x 7.50 - 8   | 5114021      | 4   | 419,35                | 177,80             | 5,38             | 306                             | 165     | 3,86             |
| 18 x 6.50 - 8   | 5114171      | 4   | 441,96                | 163,07             | 5,38             | 345                             | 193     | 3,49             |
| 18 x 8.50 - 8   | 5743311      | 4   | 454,91                | 210,31             | 7,00             | 374                             | 152     | 4,85             |
| 18 x 8.50 - 10  | 6L0174       | 6   | 462,30                | 205,70             | 7,00             | 476                             | 221     | 5,00             |
| 18 x 8.50 - 8   | 5114041      | 4   | 464,31                | 206,25             | 7,00             | 374                             | 152     | 4,86             |
| 18 x 9.50 - 8   | 5114131      | 4   | 459,74                | 234,44             | 7,00             | 472                             | 165     | 5,60             |
| 20 x 10.00 - 10 | 574362       | 4   | 494,00                | 241,30             | 8,00             | 531                             | 152     | 6,50             |
| 20 x 10.00 - 8  | 5743701      | 2   | 489,20                | 242,60             | 7,00             | 345                             | 69      | 5,20             |
| 20 x 10.00 - 8  | 511405       | 4   | 496,82                | 263,65             | 7,00             | 544                             | 152     | 6,45             |
| 20 x 10.00 - 10 | 511416       | 4   | 509,02                | 224,54             | 6,00             | 531                             | 152     | 5,86             |
| 20 x 8.00 - 10  | 5114281      | 4   | 511,81                | 205,23             | 6,00             | 413                             | 165     | 6,45             |
| 20 x 12.00 - 10 | 511257       | 4   | 511,05                | 261,62             | 8,00             | 599                             | 138     | 6,40             |
| 22 x 11.00 - 10 | 511255       | 4   | 551,18                | 266,72             | 7,00             | 671                             | 152     | 7,71             |
| 22 x 9.50 - 12  | 511433       | 4   | 557,02                | 230,63             | 7,00             | 592                             | 165     | 6,67             |
| 23 x 8.50 - 12  | 574301       | 4   | 569,00                | 210,80             | 7,00             | 499                             | 152     | 7,20             |
| 23 x 8.50 - 12  | 511419       | 4   | 581,41                | 213,36             | 7,00             | 499                             | 152     | 7,06             |
| 23 x 10.50 - 12 | 511408       | 4   | 591,82                | 254,76             | 8,50             | 630                             | 138     | 7,39             |
| 24 x 9.50 - 12  | 511434       | 4   | 601,98                | 243,84             | 7,00             | 680                             | 165     | 8,98             |
| 24 x 9.50 - 12  | 574338       | 4   | 609,60                | 241,30             | 7,00             | 649                             | 152     | 7,80             |
| 24 x 12.00 - 12 | 574352       | 4   | 594,90                | 276,10             | 8,50             | 771                             | 138     | 10,40            |
| 24X12.00-12     | 511409       | 4   | 592,58                | 289,31             | 8,50             | 776                             | 138     | 9,90             |
| 26 x 10.50 - 12 | 5743T6       | 2   | 627,40                | 259,10             | 8,50             | 503                             | 69      | 8,70             |
| 26 x 14.00 - 12 | 5743W7       | 4   | 647,70                | 355,60             | 10,50            | 962                             | 124     | 14,30            |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.

## FAST FACTS

Did you know? The load carrying capacity of a tire is determined by air pressure and air volume.

Tire construction determines the constraints on the air pressure and air volume.

Did you know? Squared shoulder tires are designed to achieve a larger, flatter footprint while providing high flotation, enhanced traction and a more rugged appearance.



## TURF SMART®

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

Turf Smart provides supreme traction, turf protection and durability for all of your ground care needs. Traction is enhanced through an innovative tread design featuring a self-cleaning Groove Ejection System which helps to keep the tread pattern fully engaged with the turf. This provides consistent performance required by ground care professionals. Used primarily on ZTRs, riding mowers and other grounds care equipment.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 18 x 8.50 - 8   | 6L01801      | 4   | 464,82                | 213,36             | 7,00             | 374                             | 152     | 4,33             |
| 18 x 8.50 - 10  | 6L01791      | 4   | 457,20                | 203,20             | 7,00             | 374                             | 152     | 4,94             |
| 20 x 8.00 - 10  | 6L01781      | 4   | 502,92                | 198,12             | 6,00             | 413                             | 165     | 4,99             |
| 20 x 10.00 - 8  | 6L01771      | 4   | 508,00                | 251,46             | 7,00             | 544                             | 152     | 5,62             |
| 20 x 10.00 - 10 | 6L01761      | 4   | 502,92                | 251,46             | 8,00             | 531                             | 152     | 5,90             |
| 22 x 11.00 - 10 | 6L0175       | 4   | 556,26                | 261,62             | 7,00             | 671                             | 152     | 7,52             |
| 22 x 9.50 - 12  | 6L0162       | 4   | 548,64                | 228,60             | 7,00             | 531                             | 138     | 6,89             |
| 23 x 9.50 - 12  | 6L0161       | 4   | 581,66                | 233,68             | 7,00             | 558                             | 138     | 7,40             |
| 23 x 10.50 - 12 | 6L0160       | 4   | 579,12                | 266,70             | 8,50             | 599                             | 138     | 7,78             |
| 24 x 9.50 - 12  | 6L0159       | 4   | 599,44                | 238,76             | 7,00             | 617                             | 138     | 7,69             |
| 24 x 12.00 - 12 | 6L0055       | 4   | 594,36                | 289,56             | 8,50             | 776                             | 138     | 9,53             |
| 26 x 12.00 - 12 | 6L0220       | 4   | 655,32                | 308,61             | 9,50             | 798                             | 138     | 11,23            |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.



## TURF CTR

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

Carlisle's Turf CTR is a round shouldered low impact tire, usually seen on professional ZTR mowers when treading lightly is critical.

| Size           | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 22 x 11.00 - 8 | 511501       | 4   | 569,45                | 274,07             | 9,00             | 424                             | 69      | 6,47             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.

## FAST FACTS

Did you know? Round shoulder tires offer a footprint that increases maneuverability while minimizing damage to the turf while turning.





## FAST TRAX

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

Fast Trax is a moderately aggressive, low profile drive tire with a wide flat profile. The tire is typically used on professional riding mowers where excellent hillside traction is desired.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 18 x 11.00 - 10 | 501043       | 4   | 450,60                | 246,13             | 8,50             | 499                             | 152     | 5,88             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires. \*Max load @ 30MPH=48 km/hr



## ULTRA TRAC

### Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

The Carlisle Ultra Trac is the right approach for those specialized applications where high flotation is essential. Ultra Tracs are wide with a flat footprint and reduced void in the tread. These features yield low ground pressure and good traction while preserving the turf. Ultra Trac tires are most often utilized on golf and grounds maintenance equipment.

| Size              | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 24 x 13.00 - 12   | 529368       | 4   | 583,44                | 328,68             | 10,50            | 798                             | 124     | 12,25            |
| 24 x 13.00 - 12   | 529387       | 6   | 593,34                | 326,90             | 10,50            | 1030                            | 193     | 12,88            |
| 26.5 x 14.00 - 12 | 529386       | 4   | 673,10                | 365,76             | 10,50            | 975                             | 124     | 15,12            |
| 29 x 14.00 - 15*  | 5293E6       | 6   | 726,44                | 363,22             | 11,00            | 776                             | 207     | 21,45            |
| 26.5 x 14.00 - 12 | 529344       | 6   | 673,10                | 355,60             | 10,50            | 1216                            | 179     | 16,00            |
| 29 x 14.00 - 15   | 5293T1       | 12  | 736,60                | 363,20             | 12,00            | 1284                            | 517     | 28,20            |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires \*Max load @ 30MPH = 48 km/hr







## SMOOTH

### Transport Vehicles, Riding Mowers, Garden Tractors, Farm Equipment & Wheelbarrows

Carlisle's Smooth and Rib tires lead the way on front swivel casters for professional ZTR mowers. These tough tires withstand long hours of cutting leaving no trace of their path. Larger sizes are applications for golf and grounds maintenance equipment.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 8 x 3.00 - 4    | 5120081      | 4   | 208,28                | 73,66              | 2,50             | 54                              | 207     | 0,77             |
| 9 x 3.50 - 4    | 5120101      | 4   | 225,30                | 93,73              | 2,50             | 118                             | 345     | 1,11             |
| 11 x 4.00 - 5   | 5120111      | 4   | 284,48                | 104,14             | 3,50             | 150                             | 317     | 1,33             |
| 11 x 6.00 - 5   | 5100521      | 4   | 282,45                | 165,86             | 6,00             | 204                             | 290     | 2,00             |
| 13 x 5.00 - 6   | 5120211      | 4   | 323,01                | 121,92             | 3,50             | 200                             | 276     | 1,90             |
| 13 x 6.50 - 6   | 5121861      | 4   | 328,42                | 150,62             | 4,50             | 218                             | 193     | 2,27             |
| 4.80 - 8        | 5120511      | 4   | 426,47                | 122,17             | 3,75             | 345                             | 483     | 1,90             |
| 4.80 - 8        | 5120521      | 6   | 421,60                | 122,20             | 3,75             | 345                             | 482     | 2,50             |
| 18 x 9.50 - 8   | 510981       | 4   | 449,07                | 235,97             | 7,00             | 463                             | 165     | 4,46             |
| 18 x 10.50 - 10 | 586310       | 2   | 459,99                | 248,16             | 8,00             | 336                             | 83      | 5,64             |
| 18 x 10.50 - 10 | 6L0149       | 4   | 467,36                | 234,95             | 7,75             | 499                             | 166     | 5,97             |
| 20 x 10.00 - 10 | 586325       | 2   | 495,30                | 241,30             | 8,50             | 370                             | 83      | 5,84             |
| 24 X 13.00 - 12 | 510710       | 4   | 601,98                | 332,74             | 10,50            | 785                             | 124     | 13,05            |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.



## AT101 CHEVRON

### Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATV's and Utility Vehicles

The AT101 Chevron is a specialty lug design with bars that taper in the shoulder area. This feature, along with muted lug depth, allows it to be used as a drive tire on zero turn mowers when extra traction is needed.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 21 x 11.00 - 8  | 599044       | 4   | 533,40                | 274,30             | 8,50             | 630                             | 152     | 7,73             |
| 21 x 11.00 - 10 | 599050       | 4   | 529,80                | 264,20             | 8,50             | 630                             | 152     | 7,10             |
| 24 x 12.00 - 12 | 560352       | 4   | 609,60                | 303,78             | 9,50             | 776                             | 138     | 10,12            |

All Big Biter's are Non-Highway Service Tires.



## STRAIGHT RIB

Transport Vehicles, Riding Mowers, Garden Tractors, Farm Equipment & Wheelbarrows

| Size             | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 11 x 4.00 - 4    | 5110921      | 4   | 264,16                | 104,14             | 2,50             | 150                             | 317     | 1,54             |
| 11 x 4.00 - 5    | 5180111      | 4   | 280,92                | 106,68             | 3,00             | 150                             | 317     | 1,49             |
| 13 x 5.00 - 6    | 5180211      | 4   | 324,61                | 119,13             | 3,50             | 200                             | 276     | 1,86             |
| 13 x 6.50 - 6    | 5181861      | 4   | 329,44                | 150,62             | 4,50             | 218                             | 193     | 2,28             |
| 15 x 6.00 - 6    | 5180311      | 4   | 365,76                | 155,96             | 4,50             | 256                             | 207     | 2,67             |
| 16 x 6.50 - 8    | 5180961      | 4   | 406,40                | 164,59             | 5,38             | 279                             | 193     | 3,05             |
| 18 x 9.50 - 8    | 518081       | 4   | 448,31                | 235,71             | 7,00             | 463                             | 165     | 4,46             |
| 20 x 10.00 - 10* | 518116       | 4   | 507,75                | 221,49             | 6,00             | 531                             | 152     | 5,80             |
| 26 x 12.00 - 12  | 518711       | 4   | 635,76                | 296,16             | 10,50            | 798                             | 138     | 9,40             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.

\*NOTE: The 20 X 10.00 - 10 is called a Turf Glide tire.



## TOUR MAX™

### Golf Carts and Utility Vehicles

The Tour Max is a low profile, smooth riding tire designed primarily for golf cars and closed community vehicles. The tread pattern, rubber compound, and tire construction provide durability as well as ride comfort on hard surface paths.

| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 205/50 - 10** | 519146       | LRB | 464,31                | 198,62             | 6,00             | 306                             | 207     | 5,65             |
| 18.5 x 8.50R8 | 519148       | LRB | 458,50                | 204,70             | 7,00             | 306                             | 207     | 5,10             |
| 18 x 8.50 - 8 | 6L02221      | 4   | 434,34                | 213,36             | 7,00             | 374                             | 152     | 4,48             |

\*\*Note: The 205/50 - 10 Tour Max is DOT Approved.





## TURF GLIDE

### Golf Carts and Utility Vehicles

One of the original golf cart tires, the Turf Glide has a tall sidewall to absorb impact and a turf friendly round contour profile.

| Size      | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 8.00 - 6* | 508040       | 4   | 448,06                | 180,85             | 3,25             | 186                             | 138     | 3,64             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires. \*NOTE: Turf Glide is a TUBE TYPE (TT) Tire



## LINKS

### Golf Carts and Utility Vehicles

The Carlisle Links is the premier tire for the golf car market. Links features a wide footprint, strong sidewall and long wear rubber compound providing unmatched stability and durability.

| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 18 x 8.50 - 8 | 5192711      | 4   | 442,47                | 218,19             | 7,00             | 374                             | 152     | 5,30             |
| 18 x 8.50 - 8 | 5192731      | 6   | 439,40                | 218,70             | 7,0              | 476                             | 234,4   | 5,60             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.



## LINKSPORT

### Golf Carts and Utility Vehicles

Advanced golf tire design. Reduced tire marking and damage to turf surfaces. Progressive interlocking matrix tread for favorable rolling resistance, improved weight and pressure distribution over conventional golf tire offerings. Stability, traction, durability.

| Size      | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 18x8.50-8 | 6L00661      | 4   | 454,20                | 218,20             | 7,00             | 374                             | 152     | 4,94             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.





The Carlisle Group

# MARKET LEADING CLASSIC AVAILABLE WITH NEW 4 PLY SIZES

One of Carlisle's market leading product - Turf Saver is now available with additional 4 PLY sizes for residential riding lawnmowers worldwide.

| Product Code | Size        | PLY | TT / TL | Recommended pressure PSI / KpA | Load capacity in LBS / KG |
|--------------|-------------|-----|---------|--------------------------------|---------------------------|
| 6L05011      | 18x9.50-8   | 4   | TL      | 20/140                         | 935/425                   |
| 6L05021      | 20x8.00-8   | 4   | TL      | 22/150                         | 965/437                   |
| 5111041      | 20x10.00-8  | 4   | TL      | 22/150                         | 1200/545                  |
| 511111       | 20x8.00-10  | 4   | TL      | 24/170                         | 910/412                   |
| 511116       | 20x10.00-10 | 4   | TL      | 22/150                         | 1170/530                  |
| 6L0510       | 23x8.50-12  | 4   | TL      | 22/150                         | 1100/500                  |
| 6L05031      | 23x10.50-12 | 4   | TL      | 20/140                         | 1320/600                  |
| 6L0511       | 24x12.00-12 | 4   | TL      | 20/140                         | 1710/775                  |

## THE NEW 4 PLY TURF SAVER OFFERS ADDITIONAL ADVANTAGES

- Higher load capacity
- Longer life endurance
- Higher resistance
- Comfort driving
- No damage of the turf due to sophisticated compound

## FLAT & CHEVRON

It's flat profile and chevron tread have been proved to provide excellent traction for all your needs, while the turf friendly design and breadth of line make it versatile in both application and fitment.

# QUALITY. DURABILITY. PERFORMANCE. VALUE.





## FAIRWAY PRO

### Golf Carts and Utility Vehicles

Fairway Pro is an excellent value providing long hours of dependable performance on the course. One year warranty.

| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 18 x 8.50 - 8 | 5189761      | 4   | 461,26                | 213,61             | 7,00             | 374                             | 152     | 5,20             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires



## INDUSTRIAL TRAX

### Golf Carts and Utility Vehicles

Designed for hard surface utility vehicle applications such as concession vehicles for golf courses.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 23 x 10.50 - 12 | 599045       | 4   | 571,50                | 264,16             | 8,50             | 608                             | 138     | 9,87             |
| 25 x 8.50 - 12  | 560445       | 6   | 629,92                | 215,90             | 7,00             | 748                             | 207     | 8,61             |
| 25 x 10.50 - 12 | 560446       | 6   | 635,00                | 266,70             | 7,00             | 898                             | 207     | 13,22            |



## FAST FACTS

Did you know? For every 10 degree change in ambient air temperature you may experience a change in air pressure of approximately 1 PSI [pound per square inch] on a tire and wheel assembly.





## SAWTOOTH

Utility Carts, Wheelbarrows, Pressure Washers, Generators, Hand Trucks, Lawn Equipment and Fun Carts

Sawtooth tires are used for small industrial product applications. Hand trucks, industrial carts and pressure washers are examples of equipment that utilize these tires. The Sawtooth tread design offers smooth rolling performance.

| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 2.80 - 4      | 5190011      | 4   | 229,11                | 74,42              | 2,50             | 82                              | 345     | 0,72             |
| 4.10 - 4      | 5190251      | 2   | 268,22                | 90,17              | 2,50             | 102                             | 165     | 1,10             |
| 4.10 - 4      | 5190261      | 4   | 268,73                | 93,98              | 2,50             | 159                             | 345     | 1,21             |
| 4.10/3.50 - 6 | 5190361      | 4   | 332,99                | 107,70             | 3,25             | 225                             | 586     | 1,81             |
| 5.30/4.50 - 6 | 519067       | 6   | 370,59                | 135,64             | 3,50             | 401                             | 655     | 2,54             |
| 4.80/4.00 - 8 | 5190501      | 2   | 405,89                | 116,33             | 3,75             | 231                             | 241     | 2,16             |

All Gripping Performers are Non-Highway Service Tires.



## BIG BITERS - SUPER LUG, POWER TRAC AND TRU POWER

Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATV's and Utility Vehicles

Super Lug, Tru Power and Power Trac tires are most often found on garden tractors, tillers, and trenchers. Our powerful line is the right choice whenever the application requires substantial traction.

| Size            | Product Name | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 4.80 - 8        | Power Trac   | 5109501      | 2   | 410,46                | 102,87             | 2,50             | 200                             | 138     | 2,42             |
| 13 x 5.00 - 6   | Super Lug    | 5100201      | 2   | 332,23                | 115,06             | 3,50             | 132                             | 138     | 1,82             |
| 14 x 4.50 - 6   | Super Lug    | 5100251      | 2   | 367,54                | 112,78             | 3,25             | 145                             | 138     | 1,75             |
| 16 x 6.50 - 8   | Super Lug    | 5100961      | 4   | 420,12                | 159,77             | 5,38             | 279                             | 193     | 3,67             |
| 18 x 9.50 - 8   | Super Lug    | 510080       | 2   | 459,74                | 223,52             | 7,00             | 315                             | 83      | 5,50             |
| 18 x 9.50-8     | Super Lug    | 510081       | 4   | 466,10                | 225,00             | 7,00             | 463                             | 165     | 6,50             |
| 20 x 10.00 - 8  | Super Lug    | 510101       | 4   | 511,30                | 245,87             | 7,00             | 544                             | 152     | 8,35             |
| 18 x 8.50 - 10  | Tru Power    | 523311       | 4   | 458,98                | 197,61             | 6,00             | 374                             | 152     | 5,64             |
| 6-12 NHS        | Tru Power    | 5233C3       | 4   | 577,85                | 139,70             | 4,00             | 268                             | 193     | 5,82             |
| 23 x 8.50 - 12  | Tru Power    | 523301       | 4   | 573,53                | 210,06             | 7,00             | 499                             | 152     | 7,39             |
| 23 x 10.50 - 12 | Tru Power    | 523367       | 4   | 591,82                | 264,16             | 7,00             | 630                             | 138     | 11,53            |
| 26 x 12.00 - 12 | Tru Power    | 523361       | 4   | 650,24                | 312,42             | 8,50             | 798                             | 138     | 14,71            |
| 26 x 12.00 - 12 | Tru Power    | 523360       | 8   | 650,24                | 312,42             | 10,50            | 1361                            | 290     | 17,40            |
| 29 x 12.50 - 15 | Tru Power*   | 5233D4       | 6   | 744,22                | 294,64             | 10,00            | 748                             | 207     | 19,76            |
| 31 x 15.50 - 15 | Tru Power*   | 5233A4       | 8   | 797,56                | 383,54             | 13,00            | 1252                            | 310     | 33,34            |

All Gripping Performers are Non-Highway Service Tires. \*Max load @ 30MPH=48 km/hr







## WHEELBARROW

### Transport Vehicles, Riding Mowers, Garden Tractors, Farm Equipment & Wheelbarrows

Whatever the load or task our Wheelbarrow Rib tires are up to the challenge. Lawn carts, spreaders, and wheelbarrows are the most common applications for these tires.

| Size     | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|----------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 4.00 - 6 | 5134371      | 2   | 345,44                | 101,35             | 2,50             | 150                             | 207     | 1,06             |
| 4.80 - 8 | 5134511      | 2   | 401,83                | 96,52              | 2,50             | 249                             | 207     | 1,21             |
| 4.80 - 8 | 5130511      | 4   | 418,08                | 116,84             | 3,75             | 347                             | 483     | 1,87             |

All Lawn, Garden and Golf are Non-Highway Service (NHS) Tires.



## STUD

### Utility Carts, Wheelbarrows, Pressure Washers, Generators, Hand Trucks, Lawn Equipment and Fun Carts

Stud is used in many of the same small industrial product applications. Hand trucks, industrial carts, and pressure washers are examples of equipment that utilize these tires. The Stud pattern has an aggressive appearance with excellent traction.

| Size     | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|----------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 4.10 - 4 | 5160251      | 2   | 268,99                | 90,17              | 2,50             | 102                             | 165     | 1,09             |
| 4.10 - 5 | 5160301      | 2   | 294,64                | 96,27              | 3,00             | 118                             | 165     | 1,11             |
| 4.10 - 6 | 5160351      | 2   | 318,01                | 99,82              | 3,25             | 132                             | 165     | 1,24             |
| 4.80 - 8 | 5160501      | 2   | 416,05                | 119,63             | 3,75             | 200                             | 138     | 2,10             |
| 4.80 - 8 | 5164291      | 4   | 413,26                | 119,63             | 3,75             | 304                             | 290     | 2,76             |

All Gripping Performers are Non-Highway Service Tires.

## FAST FACTS

Did you know? Wheelbarrows were used more than 2000 years ago as a simple yet effective way for one person to carry heavy loads and to unload goods quickly. The average wheelbarrow today holds 6 cubic feet of material. To keep a wheelbarrow safe and easy to use, balance the load evenly and maintain tire inflation.



## XTRAC

### Transport Vehicles, Riding Mowers, Garden Tractors, Farm Equipment & Wheelbarrows

Excellent for snow throwing equipment and other applications requiring aggressive traction. Features angled center lugs for maximum bite with squared prominent edge lugs for traction across the entire face of the tire.

| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 13 x 4.00 - 6 | 5170151      | 2   | 325,12                | 101,60             | 3,25             | 127                             | 152     | 1,60             |
| 13 x 5.00 - 6 | 5170161      | 2   | 327,66                | 119,38             | 3,50             | 132                             | 138     | 2,08             |
| 15 x 5.00 - 6 | 5170171      | 2   | 371,86                | 128,78             | 3,50             | 179                             | 138     | 2,38             |
| 4.80 - 8      | 5170111      | 2   | 420,37                | 119,38             | 3,75             | 200                             | 138     | 2,63             |
| 16 x 6.50 - 8 | 5170181      | 2   | 416,56                | 152,40             | 5,38             | 186                             | 97      | 3,18             |

All Big Biters are Non-Highway Service Tires.



## SNOW HOG

### Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATV's and Utility Vehicles

With its distinctive „X” shaped tread elements, the Carlisle Snow Hog stands out from the crowd. It is primarily used on snow throwers but can be considered whenever superior traction is needed.



| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| 4.10 - 4      | 5170041      | 2   | 278,13                | 93,98              | 2,50             | 102                             | 165     | 1,26             |
| 4.10 - 6      | 5170051      | 2   | 324,36                | 100,58             | 3,25             | 132                             | 165     | 1,45             |
| 13 x 5.00 - 6 | 5170061      | 2   | 331,98                | 118,62             | 3,50             | 132                             | 138     | 1,92             |
| 15 x 5.00 - 6 | 5170081      | 2   | 376,17                | 128,02             | 3,50             | 184                             | 138     | 2,18             |
| 4.80 - 8      | 5170011      | 2   | 411,23                | 119,63             | 3,75             | 200                             | 138     | 2,47             |
| 16 x 6.50 - 8 | 5170021      | 2   | 415,29                | 156,46             | 5,38             | 186                             | 97      | 2,82             |
| 18 x 6.50 - 8 | 5170101      | 4   | 437,39                | 166,37             | 5,38             | 345                             | 193     | 3,46             |

All Big Biters are Non-Highway Service Tires.





## RELIANCE

Commercial mowers, hand trucks, pressure washers, generators, paint sprayers, carts, waste disposal and other material handling applications both indoors and out

- Flat-Proof design decrease downtime and increase productivity
- Commercial Durability and Capacity
- Cushioned Ride

| Size            | P/N    | Tread    | Rim base | Diameter (mm) | Width (mm) | Load Capacity | Tire Weight (kg) |
|-----------------|--------|----------|----------|---------------|------------|---------------|------------------|
| 8x3.00-4        | 541011 | Smooth   | 2,25"    | 208           | 76,2       | 175           | 2,7              |
| 9x3.50-4        | 541001 | Smooth   | 2,25"    | 229           | 81,3       | 260           | 4,2              |
| 410-4           | 541002 | Sawtooth | 2,25"    | 264           | 83,8       | 350           | 5,5              |
| 11x4.00-5       | 541006 | Smooth   | 3,25"    | 277           | 107        | 325           | 6,7              |
| 11x4.00-5       | 541020 | Rib      | 3,25"    | 272           | 104        | 325           | 6,4              |
| 13x5.00-6       | 541003 | Smooth   | 3,25"    | 315           | 117        | 440           | 9,5              |
| 13x6.50-6       | 541004 | Smooth   | 4,50"    | 323           | 147        | 460           | 12               |
| 13x6.50-6       | 541016 | Rib      | 4,50"    | 325           | 132        | 460           | 12               |
| 15x6.00-6       | 541019 | Rib      | 4,50"    | 361           | 150        | 570           | 13.5             |
| NEW 16x6.50 - 8 |        |          |          |               |            |               |                  |



## FLAT FREE

For lawn and garden, wheelbarrows, hand truck and lawn mowers.

|     | Size          | Product Code | Tread    | Overall Diameter (mm) | Width (mm) | Assembled Weight (kg) | Load Capacity | Case Qty |
|-----|---------------|--------------|----------|-----------------------|------------|-----------------------|---------------|----------|
| NEW | 4.80/4.00-8   | 483791       | Ribbed   | 360,68                | 81,28      | 2,81                  | 136           | 6        |
| NEW | 4.10/3.50 - 4 | 483801       | Sawtooth | 261,62                | 83,82      | 1,72                  | 136           | 6        |
| NEW | 2.80/2.50 - 4 | 483871       | Sawtooth | 210,82                | 78,74      | 1,27                  | 125           | 6        |
| NEW | 9x3.50 - 4    | 483831       | Smooth   | 233,68                | 83,82      | 1,72                  | 136           | 6        |
| NEW | 11x4.00 - 5   | 483821       | Smooth   | 279,40                | 101,6      | 2,45                  | 159           | 6        |
| NEW | 4.00 - 6      | 483771       | Ribbed   | 335,28                | 81,28      | 2,54                  | 136           | 6        |
| NEW | 13x5.00 - 6   | 483851       | Turf     | 337,82                | 114,3      | 3,76                  | 181           | 3        |
| NEW | 13x6.50 - 6   | 483841       | Turf     | 342,90                | 157,48     | 5,26                  | 181           | 3        |
| NEW | 15x6.50 - 6   | 483861       | Turf     | 350,52                | 160,02     | 5,49                  | 227           | 3        |
| NEW | 4.80/4.00 - 8 | 483761       | Ribbed   | 393,70                | 91,44      | 3,13                  | 227           | 6        |
| NEW | 4.80/4.00 - 8 | 483781       | Ribbed   | 393,70                | 91,44      | 3,13                  | 227           | 6        |





# NEW

## professionals on your duty

**Farm Specialist Trac Radial Tires**  
SUPER TRACTION FOR ENHANCED USE

**AVAILABLE  
NOW**





# ATV / UTV POWERSPORTS

## TREAD VIEW QUICK REFERENCE GUIDE

### Own The Trail. Serious American-Made Traction.

#### ALL-PURPOSE TIRES

Carlisle All-Terrain, OEM replacement or Trail-Rated tires offer traction in a wide range of conditions and are not designed to excel in one particular terrain. For stones, hard pack, mud, and various other conditions, an all-purpose tire is recommended.

The Carlisle AT489 is an industry leader, excelling in all-terrain applications.

#### MUD TIRES

Terrain-specific Mud Tires are specially designed to gain traction in difficult wet and sticky conditions with large tread bar systems that offer rotation-based, self cleaning features. Goo-rated tires are characterized by sharp angled tread. Mud tires are not recommended for dry conditions.

#### SAND TIRES

Sand-specific tires feature paddle styled tread features for loose terrain displacement. Enthusiasts often use smooth or slick style front tires for sand dune performance.

Not recommended for other applications.

#### SPORT PERFORMANCE TIRES

For aggressive trail riding delivering consistent traction on medium to hard packed terrain, a sport performance tread choice is recommended.

In selecting upgrade or replacement ATV tires, begin by identifying the type of riding and terrain surface. For recreational or non-recreational use, the correct tire choice dramatically affects ride satisfaction, durability, performance and handling characteristics. When selecting ATV tires, performance features such as flotation, flexibility, cornering capability, ply-rating and puncture resistance are factors that should be considered. Application-specific tires make remarkable gains in vehicle performance if used in suitable riding environments.

*Featured*

## New Product!

The new Versa Trail ATR tire is the first Carlisle branded all-purpose utility radial for side-by-sides and ATVs. The R&D team utilized computer aided images to formulate the optimal  $\frac{3}{4}$  inch, non-directional tread pattern. A new tough-tread rubber technology was also used to improve cut and chip resistance, all while extending tread life. In addition, the tire also features a six ply-rated carcass to reduce fatigue and a deep rim guard to accommodate styled wheel assemblies. The Versa Trail ATR increases the terrain versatility and optimizes tire traction without compromising the vehicle's comfort and handling.

See on page 35.





**A-C-T** Page 26



**A-C-THD** Page 26



**AT489** Page 27



**AT489 XL** Page 28



**AT489 II** Page 28



**BADLANDS A/R** Page 29



**BADLANDS XTR** Page 29



**BLACK ROCK** Page 30



**HD FIELD TRAX** Page 30



**MUD WOLF** Page 31



**MUD WOLF XL** Page 31



**KNOBBY** Page 31



**TRAIL WOLF SPORT** Page 32



**STRYKER** Page 32



**TRAIL WOLF** Page 33



**TURF TAMER** Page 34



**ALL TRAIL / ALL TRAIL II** Page 34



**TRAIL PRO** Page 35



**VERSA TRAIL** Page 35



A.C.T.

## ATV & Utility & Recreation

A.C.T. (All Conditions Tire) features advanced radial construction to absorb trail hazards and ride disturbance. Radial design increases both traction and ride quality. Aggressive open lug tread pattern, with tread depth of .75 inches. Designed with rim-guard to protect wheel lip. Made in USA.

| Size          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|---------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT23X7R12     | 560408       | 3*  | 591,82                | 177,80             | 6,00             | 118                              | 48      | 6,53             |
| AT23X10R12    | 560409       | 3*  | 596,69                | 254,00             | 8,00             | 166                              | 48      | 8,26             |
| AT25X8R12     | 560425       | 3*  | 635,00                | 203,20             | 6,50             | 154                              | 48      | 8,16             |
| AT25X11R12    | 560426       | 3*  | 647,70                | 266,70             | 8,00             | 206                              | 48      | 10,89            |
| AT26X8R12     | 560441       | 3*  | 665,48                | 195,58             | 6,50             | 249                              | 69      | 8,30             |
| AT26X10R12    | 560442       | 3*  | 670,56                | 254,00             | 8,00             | 290                              | 69      | 10,75            |
| AT25X8R12     | 57A306       | 3*  | 635,00                | 204,00             | 6,50             | 154                              | 48      | 8,20             |
| 255/70R12 MST | 57A343       | 4   | 668,00                | 257,00             | 8,00             | 236                              | 69      | 10,60            |
| AT25X11R12    | 57A346       | 3   | 648,00                | 267,00             | 8,00             | 206                              | 48      | 11,20            |
| 205/85R12 MST | 57A366       | 4   | 660,00                | 193,00             | 6,50             | 249                              | 69      | 7,60             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated (PR).



A.C.T. HD

## ATV & Utility & Recreation

The A.C.T. HD is constructed with highly reliable 6-ply rated, 1.0 inch tread depth and larger sizing. Designed with rim-guard to protect wheel lip. Made in USA.

| Size             | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| 25X8.00R12 NHS   | 560481       | 6   | 647,70                | 203,20             | 6,50             | 318                              | 124     | 9,88             |
| 25X11.00R12 NHS* | 560482       | 6   | 655,32                | 281,94             | 9,00             | 424                              | 124     | 12,57            |
| 26X8.00R12 NHS   | 6P0360       | 6   | 668,02                | 198,12             | 6,50             | 145                              | 69      | 9,43             |
| 26X9.00R12 NHS*  | 560465       | 6   | 666,75                | 215,90             | 7,00             | 376                              | 124     | 11,65            |
| 26X10.00R12 NHS  | 6P0361       | 6   | 673,10                | 254,00             | 8,00             | 170                              | 69      | 12,34            |
| 26X11.00R12 NHS* | 560466       | 6   | 679,45                | 266,70             | 9,00             | 447                              | 124     | 13,83            |
| 27X9.00R12 NHS*  | 560472       | 6   | 698,50                | 226,06             | 7,00             | 404                              | 124     | 12,04            |
| 27X11.00R12 NHS* | 560473       | 6   | 704,85                | 280,92             | 9,00             | 474                              | 124     | 14,42            |
| 205/90-12 MST    | 6P0373       | 6   | 668,02                | 198,12             | 6,50             | 145                              | 69      | 9,43             |
| 255/70-12 MST    | 6P0374       | 6   | 673,10                | 254,00             | 8,00             | 170                              | 69      | 12,34            |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated (PR).



# AT489

## ATV & Utility & Recreation

The ideal OEM replacement tire. Superior shock absorption.  
Light, strong, steers easy.



ATV / UTV -  
POWERSPORTS



| Size                       | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) | Load Index/ Speed Index |
|----------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|-------------------------|
| 22X11.00-10 NHS            | 5893H5       | 4   | 579,12                | 259,08             | 9,00             | 281                              | 83      | 6,99             |                         |
| 22X9.50-10 NHS             | 5793N1       | 4   | 558,80                | 241,30             | 7,00             | 265                              | 97      | 6,76             |                         |
| 23X10.00-12 NHS            | 579330       | 4   | 584,20                | 254,00             | 8,00             | 388                              | 152     | 7,67             |                         |
| 24X12.00-10 NHS            | 5793A6       | 4   | 609,60                | 304,80             | 9,50             | 463                              | 138     | 10,43            |                         |
| 24X9.50-10 NHS             | 5793P2       | 4   | 614,68                | 243,84             | 7,80             | 395                              | 152     | 8,16             |                         |
| 24X10.50-10 NHS            | 5793N9       | 4   | 609,60                | 266,70             | 7,80             | 331                              | 97      | 9,21             |                         |
| AT23X8-11                  | 589304       | 3*  | 596,90                | 190,50             | 6,50             | 132                              | 48      | 6,53             |                         |
| AT24X11-10                 | 589305       | 3*  | 609,60                | 254,00             | 9,00             | 200                              | 48      | 8,16             |                         |
| AT25 x 8.00 - 12 <b>EM</b> | 6E0433       | 4   | 637,54                | 182,88             | 6,50             | 225                              | 69      | 6,53             | 38K                     |
| AT25X11-10                 | 589308       | 3*  | 637,54                | 274,32             | 9,00             | 206                              | 48      | 9,48             |                         |
| AT25X10-12                 | 589321       | 3*  | 640,08                | 231,14             | 8,00             | 191                              | 48      | 8,62             |                         |
| AT23X8-10                  | 589326       | 3*  | 581,66                | 205,74             | 7,00             | 136                              | 48      | 6,27             |                         |
| AT23X10-10                 | 589327       | 3*  | 594,36                | 241,30             | 8,00             | 170                              | 48      | 7,98             |                         |
| AT24X10-11                 | 589328       | 3*  | 609,60                | 254,00             | 8,00             | 179                              | 48      | 8,75             |                         |
| AT23X8-12                  | 589329       | 3*  | 586,74                | 187,96             | 6,50             | 127                              | 48      | 6,40             |                         |
| AT23X10-12                 | 589330       | 3*  | 584,20                | 228,60             | 8,00             | 166                              | 48      | 7,89             |                         |
| AT24X8-11                  | 589332       | 3*  | 614,68                | 218,44             | 6,50             | 145                              | 48      | 8,30             |                         |
| 25X10-12                   | 589335       | 4   | 642,62                | 228,60             | 8,00             | 272                              | 69      | 7,62             |                         |
| AT26X10-12                 | 589336       | 2*  | 652,78                | 248,92             | 8,00             | 175                              | 34      | 8,89             |                         |
| AT24X8-12 <b>EM</b>        | 560514       | 3*  | 610,00                | 204,00             | 6,50             | 141                              | 48      | 6,20             | 40F                     |
| AT24X9-12                  | 589342       | 2*  | 604,52                | 226,06             | 8,00             | 120                              | 34      | 7,30             |                         |
| AT24X11-12                 | 589344       | 3*  | 609,60                | 276,86             | 9,00             | 195                              | 48      | 8,66             |                         |
| 25X11-12 NHS               | 589351       | 4   | 645,16                | 259,08             | 9,00             | 476                              | 152     | 9,12             |                         |
| 25X8.00-12 NHS             | 589359       | 4   | 635,00                | 203,20             | 6,50             | 356                              | 152     | 6,53             |                         |
| AT24X9-11                  | 5893A9       | 3*  | 609,60                | 226,06             | 7,00             | 166                              | 48      | 7,67             |                         |
| AT23X7-10                  | 5893M0       | 2*  | 571,50                | 165,10             | 5,50             | 109                              | 34      | 5,62             |                         |
| AT22X11-10                 | 5893V0       | 2*  | 558,80                | 281,94             | 9,00             | 150                              | 34      | 7,08             |                         |
| AT22X10-10                 | 5370461      | 3*  | 551,18                | 251,46             | 8,00             | 161                              | 48      | 8,12             |                         |
| AT22X7-12                  | 5370521      | 3*  | 568,96                | 170,18             | 6,00             | 109                              | 48      | 5,72             |                         |
| 25x11.00-12 NHS            | 560414       | 4   | 647,70                | 266,70             | 9,00             | 476                              | 152     | 9,66             |                         |
| 25x10.00-12 NHS            | 560416       | 4   | 655,32                | 231,14             | 8,00             | 456                              | 165     | 8,62             |                         |
| AT23X7-10 <b>EM</b>        | 560421       | 3*  | 584,00                | 177,00             | 5,50             | 125                              | 48      | 5,70             | 36F                     |
| AT22X11-10 <b>EM</b>       | 560422       | 3*  | 559,00                | 276,00             | 9,00             | 175                              | 48      | 6,80             | 47F                     |
| AT25X8-12 <b>EM</b>        | 560433       | 3*  | 640,00                | 191,00             | 6,50             | 154                              | 48      | 6,40             | 43F                     |
| AT25X11-12 <b>EM</b>       | 560434       | 3*  | 643,00                | 264,00             | 9,00             | 206                              | 48      | 9,10             | 53F                     |
| 280/60-12 MST <b>EM</b>    | 6P0260       | 4   | 645,00                | 259,00             | 9,00             | 479                              | 152     | 9,20             | 82F                     |
| AT25X11-12 <b>EM</b>       | 6E0434       | 3*  | 643,00                | 264,00             | 8,00             | 175                              | 48      | 9,00             | 47K                     |
| 255/65-12 MST <b>EM</b>    | 6E0416       | 4   | 643,00                | 229,00             | 8,00             | 306                              | 152     | 8,60             | 67K                     |
| 280/60-12 MST <b>EM</b>    | 6E9351       | 4   | 645,00                | 259,00             | 9,00             | 336                              | 152     | 9,10             | 70K                     |
| 205/80-12 MST <b>EM</b>    | 6P0258       | 4   | 638,00                | 183,00             | 6,50             | 365                              | 165     | 6,70             | 73F                     |
| 205/80-12 MST <b>EM</b>    | 6E9359       | 4   | 638,00                | 183,00             | 6,50             | 256                              | 165     | 6,50             | 61K                     |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated [PR].



## AT489 XL

### ATV & Utility & Recreation

The AT489XL 6-ply rated tire is the heavy duty version of the original AT 489. It is an excellent choice for intermediate to hard surface use featuring 3/4" lug depth and lightweight construction. Made in the USA.

| Size       | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT25X8-12  | 560490       | 3   | 642,62                | 193,04             | 6,50             | 154                              | 48      | 7,17             |
| AT25X11-12 | 560491       | 3   | 647,70                | 274,32             | 9,00             | 206                              | 48      | 9,53             |
| AT26X9-12  | 560460       | 3   | 660,40                | 227,08             | 7,00             | 186                              | 48      | 8,53             |
| AT26X11-12 | 560461       | 3   | 666,75                | 279,40             | 9,00             | 218                              | 48      | 11,34            |
| AT26X8-12  | 560480       | 3   | 660,40                | 190,50             | 6,50             | 170                              | 48      | 7,85             |
| AT27X9-12  | 560470       | 3   | 685,80                | 226,06             | 7,00             | 200                              | 48      | 8,57             |
| AT27X11-12 | 560471       | 3   | 693,42                | 281,94             | 9,00             | 225                              | 48      | 11,20            |

ATV and NHS tires are Non-Highway Service Tires.

„AT” tires are designed for ATV applications.

„NHS” tires are designed for Utility Vehicle applications.



## AT489 II

### ATV & Utility & Recreation

The AT 489 II is the new generation of the original AT 489. It features dependable performance for a wide range of terrain conditions. Made in the USA.

| Size       | Product Code     | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) | Load Index/Speed Index |
|------------|------------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|------------------------|
| AT26X8-14  | <b>EM</b> 5E0565 | 3*  | 660,00                | 197,00             | 6,00             | 161                              | 48      | 7,60             | 44F                    |
| AT26X10-14 | <b>EM</b> 5E0568 | 3*  | 668,00                | 249,00             | 8,00             | 195                              | 48      | 10,00            | 51F                    |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications.

\* NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated (PR).

\*\* Max load @ 120 km/h.

## FAST FACTS

Did you know? Most of Carlisle's Powersports tires are manufactured at our dedicated ATV/UTV tire factory in Tennessee, with many Carlisle employees that are ATV/UTV enthusiasts.





## BADLANDS AIR

### ATV & Utility & Recreation

Badlands AIR is a rugged ATV tire featuring a 4 ply radial construction with a V-shaped tread pattern. This provides a smooth ride while still offering traction and predictable handling. Made in the USA.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| 26x8.00R12 NHS  | 530009       | 4   | 650,24                | 190,50             | 6,50             | 249                              | 69      | 7,53             |
| 26x10.00R12 NHS | 530008       | 4   | 675,64                | 233,68             | 8,00             | 206                              | 69      | 8,71             |
| 205/85R12 MST   | 598250       | 4   | 650,24                | 190,50             | 6,50             | 170                              | 48      | 7,53             |
| 255/70R12 MST   | 598251       | 4   | 675,64                | 233,68             | 8,00             | 163                              | 48      | 8,71             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. MST= Multi Service Tire



## BADLANDS XTR

### ATV & Utility & Recreation

Badlands XTR 6 ply radial construction tire absorbs trail hazards with its rugged design. It provides the ultimate smooth ride, traction and predictable handling with added X-shaped shoulder lugs to increase grip through corners. Made in the USA.

| Size        | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT255/65R12 | 537067       | 3*  | 640,08                | 236,22             | 8,00             | 191                              | 48      | 8,85             |
| AT205/80R12 | 537068       | 3*  | 637,54                | 190,50             | 6,50             | 154                              | 48      | 7,21             |
| AT270/60R12 | 537069       | 3*  | 642,62                | 264,16             | 8,00             | 206                              | 48      | 9,80             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated (PR).





## BLACK ROCK

### ATV & Utility & Recreation

Own the trail with this versatile Black Rock ATV tire, with all-conditions performance and smooth riding. Designed with a durable 3/4 inch tread depth and 3\* rating, this tire includes rim-guard to protect wheel lip. Made in USA.

| Size         | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|--------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT24x9-11    | 560530       | 3*  | 609,60                | 228,60             | 7,00             | 166                              | 48      | 7,67             |
| AT24x9-12    | 560534       | 3*  | 609,60                | 215,90             | 7,00             | 161                              | 48      | 7,80             |
| AT25x8-12    | 560538       | 3*  | 635,00                | 203,20             | 6,50             | 154                              | 48      | 8,12             |
| AT25x10-12   | 560540       | 3*  | 642,62                | 241,30             | 8,00             | 191                              | 48      | 9,21             |
| AT26x9-12    | 560539       | 3*  | 660,40                | 215,90             | 7,00             | 186                              | 48      | 8,62             |
| AT26x11-12   | 560541       | 3*  | 668,02                | 279,40             | 9,00             | 218                              | 48      | 10,57            |
| AT27x9-14    | 560592       | 3*  | 685,80                | 215,90             | 7,00             | 191                              | 48      | 10,30            |
| AT27x11-14   | 560593       | 3*  | 693,42                | 274,32             | 9,00             | 225                              | 48      | 12,11            |
| 27x9-14 NHS  | 560577       | 6   | 685,80                | 205,74             | 6,00             | 413                              | 138     | 11,75            |
| 27x11-14 NHS | 560578       | 6   | 685,80                | 256,54             | 8,00             | 531                              | 152     | 13,34            |
| 27x9.00-12   | 560585       | 6   | 673,00                | 224,00             | 7,00             | 404                              | 124     | 9,1              |
| 27x11.00-12  | 560586       | 6   | 673,00                | 267,00             | 8,00             | 540                              | 152     | 11,7             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications.

„NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated.

„NHS” tires are Ply Rated (PR).



## HD FIELD TRAX

### ATV & Utility & Worksite

Designed to get things done in the field and around the farm. Made in USA.

| Size           | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|----------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| 18X8.50-10NHS  | 5883U1       | 4   | 457,20                | 198,12             | 7,00             | 225                              | 152     | 4,99             |
| 24X12.00-12NHS | 560366       | 2   | 591,82                | 284,48             | 8,50             | 306                              | 69      | 11,20            |
| 26X12.00-12NHS | 560467       | 2   | 645,16                | 309,88             | 9,50             | 345                              | 69      | 12,29            |
| AT22.5X10-8    | 5883B9       | 3*  | 571,50                | 254,00             | 8,00             | 166                              | 48      | 9,30             |
| AT22X12-8      | 588389       | 3*  | 546,10                | 287,02             | 9,50             | 195                              | 48      | 9,39             |
| AT25X13-9      | 588394       | 3*  | 629,92                | 314,96             | 10,00            | 243                              | 48      | 12,34            |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated (PR).





## MUD WOLF®

### ATV & Utility & Recreation

The Mud Wolf® has outstanding mud performance with a 1 inch tread depth. The tough 3\* rated carcass provides stability while resisting punctures from trail hazards. Designed with rim-guard to protect the wheel lip and an embossed Mud Wolf logo for an enhanced appearance. Made in USA.

| Size       | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT25X8-12  | 537125       | 3*  | 635,00                | 213,36             | 6,50             | 154                              | 48      | 10,61            |
| AT25X11-12 | 537126       | 3*  | 624,84                | 276,86             | 8,00             | 206                              | 48      | 13,97            |
| AT26X9-12  | 537127       | 3*  | 662,94                | 233,68             | 7,00             | 186                              | 48      | 12,84            |
| AT26X12-12 | 537128       | 3*  | 662,94                | 289,56             | 8,00             | 236                              | 48      | 16,10            |
| AT27X9-12  | 537129       | 3*  | 675,64                | 241,30             | 7,00             | 200                              | 48      | 14,11            |
| AT27X12-12 | 537130       | 3*  | 695,96                | 299,72             | 8,00             | 249                              | 48      | 17,92            |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated [PR].



## MUD WOLF XL®

### ATV & Utility & Recreation

The Mud Wolf XL tire comes in larger sizes and is lighter than the original Mud Wolf. Made in the USA.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| 26x9.00-14 NHS  | 537131       | 6   | 683,26                | 205,74             | 7,00             | 361                              | 124     | 10,02            |
| 26x11.00-14 NHS | 537132       | 6   | 675,64                | 256,54             | 8,00             | 440                              | 124     | 12,66            |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications.



## KNOBBY

### ATV & Utility & Recreation

The Knobby tire offers a unique design available in solid or dimple tread pattern. This tire is ideal for use in the field or around the farm.

| Size              | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT145/70-6        | 5150021      | 1*  | 362,22                | 134,62             | 4,50             | 45                               | 28      | 2,22             |
| AT16X8-7          | 5150031      | 3*  | 419,10                | 167,64             | 5,00             | 82                               | 48      | 3,22             |
| 18X9.50-8 NHS     | 537005       | 2*  | 464,82                | 223,52             | 7,00             | 166                              | 69      | 4,72             |
| AT22X11-8 Solid** | 537050       | 2*  | 566,42                | 266,70             | 9,00             | 154                              | 34      | 6,30             |
| AT25X12-9 Solid** | 537081       | 2*  | 624,84                | 299,72             | 10,00            | 195                              | 34      | 8,57             |

\*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated [PR].

\*\*NOTE: The AT22x11-8 and AT25x12-9 sizes have a solid Knobby tread, and not the dimpled Knobby tread pattern shown above.



## TRAIL WOLF® SPORT

### ATV & Trails & Recreation

The Trail Wolf Sport tire is designed with a sport-specific tread pattern to provide extreme performance handling and traction. It is the perfect choice for any cross-country or recreational rider.

| Size      | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-----------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT20x10-9 | 560496       | 3*  | 505,46                | 251,46             | 8,00             | 136                              | 48      | 6,17             |
| AT22x11-9 | 560498       | 3*  | 548,64                | 289,56             | 9,00             | 179                              | 48      | 7,57             |
| AT21x7-10 | 560510       | 3*  | 523,24                | 167,64             | 5,50             | 107                              | 48      | 5,08             |
| AT22x7-10 | 560511       | 3*  | 543,56                | 170,18             | 5,50             | 116                              | 48      | 5,40             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications.

\*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated (PR).



## STRYKER

### ATV & Utility & Recreation

Unique, off-set chevron pattern makes this tire work-ready and self cleaning. Made in USA.

| Size              | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT22X11-8         | 531073       | 2*  | 574,04                | 281,94             | 9,00             | 150                              | 34      | 9,71             |
| AT22X11-9         | 531065       | 2*  | 574,04                | 284,48             | 10,00            | 154                              | 34      | 9,71             |
| AT25X12-9         | 531075       | 2*  | 640,08                | 309,88             | 10,00            | 195                              | 34      | 12,84            |
| 22x9.00-10 NHS ** | 516091       | 4   | 579,12                | 238,76             | 6,00             | 306                              | 138     | 9,00             |
| AT22X11-10        | 531095       | 2*  | 581,66                | 256,54             | 8,00             | 150                              | 34      | 9,48             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications.

\*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated (PR).

\*\* Stryker I product

## FAST FACTS

Did you know? Specialty tires are subjected to the most diverse range of use environments, load requirements, sidewall hazards, storage conditions and wet and dry surfaces in the tire industry. Carlisle R&D develops rubbers, chemical additives and other advanced material compounds to create safer and longer-lasting tires for the intended environment. In addition, tread patterns are purpose-designed for agricultural, all-terrain, construction, industrial, lawn, garden, and road surface environments.





TRAIL WOLF®

## ATV & Trails & Recreation

The Trail Wolf tire features a deep, wrap around tread that promotes forward traction while minimizing lateral slip. Trail Wolf is made with stiff sidewalls that increase cornering control and a compound formulated for extended wear.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT19x7-8        | 5370371      | 1*  | 482,60                | 172,72             | 5,50             | 65                               | 28      | 3,67             |
| AT19X8-8        | 537038       | 1*  | 482,60                | 185,42             | 6,50             | 73                               | 28      | 4,08             |
| AT20X7-8        | 5370391      | 1*  | 495,30                | 175,26             | 5,50             | 71                               | 28      | 3,95             |
| AT20X11-8       | 537033       | 3*  | 510,54                | 271,78             | 9,00             | 154                              | 48      | 6,58             |
| AT20X11-9       | 537034       | 3*  | 513,08                | 266,70             | 9,00             | 154                              | 48      | 5,76             |
| AT22X10-9       | 537055       | 3*  | 561,34                | 264,16             | 8,00             | 161                              | 48      | 7,17             |
| AT25X12-9       | 537082       | 3*  | 650,24                | 312,42             | 10,00            | 225                              | 48      | 11,11            |
| AT20X11-10      | 537035       | 3*  | 505,46                | 246,38             | 8,00             | 150                              | 48      | 7,48             |
| 20X11.00-10 NHS | 510015       | 4   | 515,62                | 269,24             | 9,00             | 345                              | 152     | 5,94             |
| AT21X7-10       | 537084       | 3*  | 546,10                | 172,72             | 5,50             | 107                              | 48      | 5,76             |
| AT22X7-10       | 537048       | 2*  | 563,88                | 170,18             | 5,50             | 116                              | 48      | 5,67             |
| AT22X10-10      | 537049       | 3*  | 596,90                | 233,68             | 8,00             | 161                              | 48      | 7,48             |
| AT25X12-10      | 537085       | 3*  | 635,00                | 299,72             | 10,00            | 225                              | 48      | 9,48             |
| AT22X7-11       | 537054       | 3*  | 553,72                | 185,42             | 6,50             | 111                              | 48      | 5,81             |
| AT23X8-11       | 537090       | 3*  | 589,28                | 193,04             | 6,50             | 132                              | 48      | 6,71             |
| AT24X9-11       | 537091       | 3*  | 619,76                | 215,90             | 7,00             | 166                              | 48      | 7,35             |
| AT25X8-12 NHS   | 537062       | 4   | 642,62                | 190,50             | 6,50             | 376                              | 165     | 7,26             |
| AT25X10-12      | 537061       | 3*  | 647,70                | 228,60             | 8,00             | 191                              | 48      | 7,85             |
| AT25X11-12 NHS  | 537065       | 4   | 655,32                | 246,38             | 9,00             | 476                              | 152     | 8,85             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications.

„NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated.

„NHS” tires are Ply Rated (PR).



## TURF TAMER

### ATV & Utility & Recreation

Turf Tamer ATV tires are a favourite among racers due to its lightweight construction giving riders a tire that's fast, and a one-of-a-kind tread design that provides great traction. Made in the USA.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| AT18X9.5-8      | 55U346       | 3*  | 457,20                | 228,60             | 7,00             | 111                              | 48      | 4,84             |
| AT25X12-9       | 55U373       | 3*  | 637,54                | 279,40             | 10,00            | 225                              | 48      | 7,57             |
| AT22.5X10-8     | 55U3B9       | 3*  | 566,42                | 243,84             | 8,00             | 166                              | 48      | 5,85             |
| 22.5X10.0-8 NHS | 55U3C7       | 4   | 579,12                | 254,00             | 8,00             | 374                              | 152     | 5,99             |
| AT20X11-10      | 55U3F2       | 3*  | 505,46                | 271,78             | 8,50             | 150                              | 48      | 6,88             |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. \*NOTE: „AT” tires are Star Rated. „NHS” tires are Ply Rated [PR].



## ALL TRAIL® / ALL TRAIL® II

### ATV & Utility & Worksite

The All Trail® and All Trail II lines are specifically designed for use on hard surface conditions. The low, wide profile and sturdy 4-ply rated carcass reduces soft, wallowing chassis roll commonly experienced with other tires. A unique, tight tread pattern offers a smooth ride experience. The specially-formulated compound delivers durable, extended tire life with responsive, predictable and level handling on pavement, concrete and hard-packed soil. Made in USA.

| Size                         | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) |
|------------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|
| All Trail II 20X10.00-8 NHS  | 510043       | 4   | 502,92                | 254,00             | 8,00             | 324                              | 152     | 6,17             |
| All Trail II 22X10.00-8 NHS  | 510044       | 4   | 558,80                | 259,08             | 7,00             | 374                              | 152     | 6,85             |
| All Trail II 20X10.00-10 NHS | 510045       | 4   | 515,62                | 208,28             | 6,00             | 315                              | 152     | 6,30             |
| All Trail II 22X9.50-10 NHS  | 55A3N1       | 4   | 558,80                | 243,84             | 8,00             | 265                              | 97      | 6,80             |
| All Trail 22X11.00-10 NHS    | 510016       | 4   | 556,26                | 256,54             | 8,00             | 399                              | 152     | 8,75             |
| All Trail II 24X9.50-10 NHS  | 55A3P2       | 4   | 609,6                 | 241,30             | 7,50             | 395                              | 152     | 7,57             |
| All Trail II 24X10.50-10 NHS | 55A3N9       | 4   | 617,22                | 274,32             | 8,00             | 408                              | 138     | 8,75             |
| All Trail 23X8.00-12 NHS     | 511506       | 4   | 601,98                | 213,36             | 6,50             | 306                              | 152     | 9,03             |
| All Trail 23X10.50-12 NHS    | 511505       | 4   | 586,74                | 256,54             | 8,50             | 379                              | 138     | 9,98             |
| All Trail II 23x11-10 NHS    | 6P0058       | 6   | 596,90                | 276,86             | 9,00             | 558                              | 234     | 9,03             |
| All Trail 25X8.00-12NHS      | 511507       | 4   | 629,92                | 213,36             | 7,00             | 356                              | 152     | 8,44             |
| All Trail II 25X9.00-12 NHS  | 560443       | 4   | 640,08                | 218,44             | 7,00             | 374                              | 138     | 8,44             |
| All Trail 25X10.50-12 NHS    | 511508       | 4   | 629,92                | 256,54             | 7,00             | 429                              | 138     | 10,93            |
| All Trail II 25X11.00-12 NHS | 560444       | 4   | 647,70                | 274,32             | 9,00             | 476                              | 152     | 9,25             |
| All Trail II 25X11.00-12 NHS | 6P0333       | 6   | 647,70                | 284,48             | 9,00             | 617                              | 234     | 10,52            |
| All Trail 25X10.00-12 NHS    | 6P0334       | 4   | 632,46                | 266,70             | 8,00             | 438                              | 152     | 10,98            |

ATV and NHS tires are Non-Highway Service Tires. „AT” tires are designed for ATV applications. „NHS” tires are designed for Utility Vehicle applications. „AT” tires are Star Rated. „NHS” tires are Ply Rated [PR].





## TRAIL PRO – Rock solid for superior ride quality in rugged environments.

### ATV & Trails & Recreation

The Trail Pro™ is a lightweight, versatile tire for the recreational and sport rider of ATVs, UTVs and Side-by-Sides. The purpose-designed construction makes for better shock absorption and smoother ride under mixed conditions. The non-directional tread pattern provides comfortable cornering, leaving roots and rocks in its tracks.

| Size        |    | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 80 km/h) | Max kPa | Tire Weight (kg) | Load Index/ Speed Index |
|-------------|----|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|------------------|-------------------------|
| 25X10.00-12 | EM | 6P0164       | 4   | 650,24                | 248,92             | 7,50             | 438                              | 152     | 8,98             | 84D                     |
| 25X8.00-12  | EM | 6P0165       | 4   | 645,16                | 203,20             | 6,00             | 365                              | 165     | 7,44             | 78D                     |
| 26X9.00-12  | EM | 6P0205       | 4   | 670,56                | 223,52             | 7,00             | 399                              | 138     | 8,53             | 81S                     |
| 26X11.00-12 | EM | 6P0206       | 4   | 675,64                | 281,94             | 8,00             | 517                              | 152     | 10,61            | 89D                     |
| 27X9.00-14  | EM | 6P0207       | 6   | 690,88                | 226,06             | 7,00             | 531                              | 221     | 9,16             | 86F                     |
| 27X11.00-14 | EM | 6P0208       | 6   | 695,96                | 266,70             | 9,00             | 671                              | 234     | 11,48            | 94F                     |



## VERSA TRAIL

### New all-terrain radial utility tire for work and play

The new Versa Trail ATR tire is the first Carlisle branded all-purpose utility radial for side-by-sides and ATVs. The R&D team utilized computer aided images to formulate the optimal 3/4 inch, non-directional tread pattern. A new tough-tread rubber technology was also used to improve cut and chip resistance, all while extending tread life. In addition, the tire also features a six ply-rated carcass to reduce fatigue and a deep rim guard to accommodate styled wheel assemblies. The Versa Trail ATR increases the terrain versatility and optimizes tire traction without compromising the vehicle's comfort and handling.

|     | Size              |    | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 140 km/h) | Max kPa | Tire Weight (kg) | Load Index/ Speed Index |
|-----|-------------------|----|--------------|-----|-----------------------|--------------------|------------------|-----------------------------------|---------|------------------|-------------------------|
| NEW | 25X8R12           | EM | 6E0422       | 6   | 640,00                | 205,00             | 6.50             | 132                               | 230     | 10.76            | 43/N                    |
| NEW | 25X10R12          | EM | 6E0423       | 6   | 650,00                | 255,00             | 8.00             | 157                               | 220     | 12.31            | 50/N                    |
| NEW | 26X9R12           | EM | 6E0424       | 6   | 665,00                | 225,00             | 7.00             | 309                               | 220     | 11.85            | 74/N                    |
| NEW | 26X11R12          | EM | 6E0425       | 6   | 675,00                | 280,00             | 9.00             | 269                               | 230     | 13.48            | 68/N                    |
| NEW | 27X9R14           | EM | 6E0426       | 6   | 690,00                | 225,00             | 7.00             | 301                               | 220     | 12.31            | 73/N                    |
| NEW | 27X11R14          | EM | 6E0427       | 6   | 700,00                | 280,00             | 9.00             | 363                               | 230     | 14.43            | 78/N                    |
| NEW | 27X9.00R12 NHS**  |    | 6P0268       | 6   | 688,34                | 226,06             | 7,00             | 558                               | 221     | 12,16            | 63/M                    |
| NEW | 27X11.00R12 NHS** |    | 6P0269       | 6   | 698,50                | 281,43             | 9,00             | 689                               | 234     | 14,04            | 70/M                    |
| NEW | 28X10.00R14 NHS** |    | 6P0276       | 6   | 716,28                | 254,00             | 8,00             | 630                               | 221     | 14,56            | 67/M                    |
| NEW | 28x12.00R14 NHS** |    | 6P0277       | 6   | 726,44                | 303,78             | 9,50             | 748                               | 221     | 15,83            | 73/M                    |
| NEW | 29X10.00R15 NHS** |    | 6P0324       | 6   | 746,76                | 254,00             | 8,00             | 649                               | 221     | 14,99            | 68/M                    |

NHS tires are Non-Highway Service Tires. "AT" tires are designed for ATV applications. "NHS" tires are designed for Utility Vehicle applications. \*EMARKED, \*\* Max load @ 80 km/h



# AGRICULTURE & CONSTRUCTION

## TREAD VIEW QUICK REFERENCE GUIDE

Carlisle agricultural and construction tires are workhorses of American farm and industry. Applications for farm fronts and rears, implement, skid steer, backhoes, industrial and more.

*Featured*

## New Product!

Carlisle has introduced the Farm Specialist® Flotation tire, a new tire specifically designed for heavy duty work in all conditions. The extra wide profile design and large load capacity makes the Farm Specialist® Flotation tire perfect for silage trailers, manure spreaders, tipping trailers, hay rake machines, hay bailers and harvesting machines.

*See on page 38.*





NEW



**Farm Specialist Flotation Implement**  
Page 38



**Hay Rake** Page 38



**Farm Specialist® F2** Page 39



**Farm Specialist® F-2M** Page 39



**Farm Specialist® F3** Page 40



**Farm Specialist® F-I** Page 40



**Farm Specialist® I-1** Page 41



**Farm Specialist® HF-1** Page 42



**Trac Chief® I-3** Page 42



**Trac Chief® XT** Page 43



**Turf Pro R-3 & Turf Pro Plus R-3**  
Page 43



**Multi Trac CS R-3** Page 44



**XTRA GRIP R-4** Page 44



**WT300** Page 45



**Guard Dog® HD** Page 45



**Ultra Guard®** Page 46



**Ultra Guard® LVT** Page 46



**Ultra Guard® MX** Page 47



**USA Loader®** Page 47



**Trac Chief** Page 48



**Farm Specialist® R-1** Page 49



**Farm Specialist® R-1-HA** Page 49



**Farm Special Trac Radial** Page 50



## FARM SPECIALIST FLOTATION IMPLEMENT

Carlisle's Farm Specialist® Flotation tire is specially designed for heavy duty work. It's extra wide profile and voluminous design makes Carlisle's Farm Specialist® Flotation tire perfectly suited for agricultural applications. Specifically designed for heavy duty work and has a large load capacity at low tire pressure. The carcass construction is refined in every detail and is built to perform under all conditions. The unique profile ensures that the tires keep rolling all the time. The outstanding self-cleaning purpose is one of the strong features of these tires.

|     | Size                          | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 40km/h) | Max kPa | Tire Weight (kg) | Load index | Speed index |
|-----|-------------------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|------------|-------------|
| NEW | 260/70-15.3 (10.0/75-15.3) TL | 6A03411      | 10  | 753,00                | 260,00             | 13,00            | 1497                            | 317     | 16,07            | 122        | A8          |
| NEW | 260/70-15.3 (10.0/75-15.3) TL | 6A03421      | 12  | 753,00                | 260,00             | 13,00            | 1696                            | 368     | 16,86            | 126        | A8          |
| NEW | 300/80-15.3 (11.5/80-15.3) TL | 6A03431      | 10  | 869,00                | 300,00             | 13,00            | 2000                            | 275     | 21,89            | 132        | A8          |
| NEW | 300/80-15.3 (11.5/80-15.3) TL | 6A03441      | 12  | 869,00                | 300,00             | 13,00            | 2360                            | 358     | 23,49            | 138        | A8          |
| NEW | 400/60-15.5 TL                | 6A05362      | 14  | 858,50                | 387,40             | 13,00            | 2898                            | 358     | 34,60            | 145        | A8          |
| NEW | 380/55-17 (15.0/55-17) TL     | 6A04132      | 12  | 851,00                | 391,00             | 13,00            | 2360                            | 275     | 27,67            | 138        | A8          |
| NEW | 480/45-17 (19.0/45-17) TL     | 6A04112      | 14  | 864,00                | 490,00             | 16,00            | 3000                            | 317     | 36,28            | 146        | A8          |
| NEW | 500/50-17 TL                  | 6A04122      | 14  | 932,00                | 506,00             | 16,00            | 3246                            | 276     | 43,99            | 149        | A8          |
| NEW | 500/50-17 TL                  | 6A04022      | 18  | 932,00                | 506,00             | 16,00            | 4125                            | 475     | 48,00            | 157        | A8          |



## HAY RAKE

### Farm Implement Heavy Duty

Carlisle Farm Implement Heavy Duty tires are especially designed for heavy duty conditions resulting in longer life. The improved self-cleaning is achieved by specifically designed breakers in the tread pattern. Additionally, we designed inner liners and compound for high plunger resistance.

| Size         | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 32km/h) | Max kPa | Tire Weight (kg) | Load index | Speed Index | Remark        |
|--------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|------------|-------------|---------------|
| 15x6.00-6 TT | 6A03361      | 6   | 360,68                | 157,23             | 4,50             | 302                             | 331     | 2,50             | 66         | A6          |               |
| 15x6.00-6 TT | F6A03361     | 6   | 360,68                | 157,23             | 4,50             | 302                             | 331     | 2,50             | 66         | A6          | Tube included |
| 16x6.50-8 TT | 6A02351      | 6   | 406,40                | 162,56             | 5,50             | 279                             | 303     | 3,00             | 64         | A6          |               |
| 16x6.50-8 TT | F6A02351     | 6   | 406,40                | 162,56             | 5,50             | 279                             | 303     | 3,00             | 64         | A6          | Tube included |
| 16x6.50-8 TT | 6A02361      | 10  | 406,40                | 162,56             | 5,50             | 517                             | 510     | 3,30             | 85         | A6          |               |
| 16x6.50-8 TT | F6A02361     | 10  | 406,40                | 162,56             | 5,50             | 515                             | 510     | 3,30             | 85         | A6          | Tube included |
| 18x8.50-8 TT | 6A03371      | 6   | 450,85                | 213,36             | 7,00             | 475                             | 234     | 3,90             | 82         | A6          |               |
| 18x8.50-8 TT | F6A03371     | 6   | 450,85                | 213,36             | 7,00             | 475                             | 234     | 3,90             | 82         | A6          | Tube included |





## FARM SPECIALIST® F-2 TRIPLE RIB

### Front Tractor, Wagons, Balers Spreaders, Seeders & Feed yard Mixers

Triple rib traction for steering in farm applications.

| Size                 | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 40km/h) | Max kPa | Tire Weight (kg) |
|----------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 4.00 - 15SL F-2 (TT) | 52F230       | 4   | 617,22                | 111,76             | 3,00             | 1836                       | 265                             | 358     | 4,15             |
| 5.00 - 15SL F-2 (TT) | 52F235       | 4   | 660,40                | 129,54             | 3,00             | 1966                       | 324                             | 303     | 6,36             |
| 7.5L - 15SL F-2 (TT) | 52F290       | 6   | 739,14                | 203,20             | 6,00             | 2212                       | 648                             | 303     | 12,45            |
| 6.00 - 16SL F-2 (TT) | 52F275       | 6   | 739,14                | 157,48             | 4,00             | 2205                       | 517                             | 358     | 8,98             |
| 6.00 - 16SL F-2 (TL) | 52F375       | 6   | 739,14                | 157,48             | 4,00             | 2205                       | 517                             | 358     | 10,46            |
| 7.50 - 16SL F-2 (TT) | 52F283       | 6   | 807,72                | 200,66             | 5,50             | 2388                       | 671                             | 303     | 13,01            |
| 7.50 - 16SL F-2 (TL) | 52F383       | 6   | 807,72                | 200,66             | 5,50             | 2388                       | 669                             | 303     | 14,38            |
| 7.50 - 16SL F-2 (TL) | 52F384       | 8   | 807,72                | 200,66             | 5,50             | 2388                       | 775                             | 386     | 14,97            |

These tires are not for highway use. [TT] indicates a tube-type tire. [TL] indicates a tubeless tires.



## FARM SPECIALIST® F-2M QUAD RIB

### Front Tractor, Wagons, Balers Spreaders, Seeders & Feed yard Mixers

Quad rib traction for steering in farm applications.

| Size                   | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 40 km/h) | Max kPa | Tire Weight (kg) |
|------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|----------------------------------|---------|------------------|
| 11L - 15SL F-2M (TT)   | 53F218       | 8   | 812,8                 | 266,7              | 8,0              | 2441                       | 948                              | 303     | 19,58            |
| 10.00 - 16SL F-2M (TT) | 53F298       | 8   | 889,0                 | 274,3              | 8,0              | 2670                       | 1061                             | 303     | 22,52            |

[TT] indicates a tube-type tire. [TL] indicates a tubeless tires. These tires are not for highway use.





## FARM SPECIALIST® F-3 INDUSTRIAL & AG FRONT

Durable industrial rib design and wider profile offer enhanced traction for front backhoe loaders.

| Size                | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 40km/h) | Max kPa | Tire Weight (kg) |
|---------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 11L - 16SL F-3 (TL) | 565315       | 10  | 838,20                | 279,40             | 8,00             | 2487                       | 1120                            | 359     | 25,04            |

This tire is not for highway use.



## FARM SPECIALIST® F-I Highway Service Implement

Highway service implement specially designed for intermittent highway speeds for towed vehicle applications. DOT approved for highway speeds.

| Size              | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 99 km/h) | Max kPa | Tire Weight (kg) |
|-------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|----------------------------------|---------|------------------|
| 9.5L - 15FI (TL)  | 51H359       | D   | 767,08                | 241,30             | 7,00             | 2276                       | 1215                             | 413     | 17,64            |
| 9.5L - 15FI (TL)  | 51H360       | E   | 767,08                | 241,30             | 7,00             | 2276                       | 1397                             | 517     | 19,69            |
| 10.00 - 15FI (TL) | 51H361       | D   | 850,90                | 279,40             | 8,00             | 2540                       | 1796                             | 413     | 23,71            |
| 11L - 15FI (TL)   | 51H386       | D   | 777,24                | 279,40             | 8,00             | 2304                       | 1397                             | 413     | 21,68            |
| 11L - 15FI (TL)   | 51H392       | F   | 777,24                | 279,40             | 8,00             | 2304                       | 1796                             | 620     | 24,92            |
| 12.5L - 15FI (TL) | 51H382       | D   | 822,96                | 317,50             | 10,00            | 2438                       | 1696                             | 413     | 23,92            |
| 12.5L - 15FI (TL) | 51H387       | F   | 822,96                | 326,39             | 10,00            | 2438                       | 2122                             | 620     | 33,87            |
| 13.50 - 15FI (TL) | 570124       | C   | 807,72                | 344,17             | 10,00            | 2436                       | 1215                             | 206     | 27,67            |

(TT) indicates a tube-type tire. (TL) indicates a tubeless tires. These tires are not for highway use.







## FARM SPECIALIST® I-1 IMPLEMENT

### Front Tractor, Wagons, Balers Spreaders, Seeders & Feed yard Mixers

Multi rib farm tire designed for flotation for use on farm implements, wagons, tanks, carts and other pull behind vehicles.



| Size                     | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 48km/h) | Max kPa | Tire Weight (kg) |
|--------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 4.00 - 9 I-1 (TT)        | 518249       | 4   | 441,96                | 121,92             | 3,00             | 1311                       | 249                             | 303     | 2,76             |
| 4.00 - 12 I-1 (TT)       | 518277       | 4   | 518,16                | 127,00             | 3,00             | 1537                       | 306                             | 303     | 3,20             |
| 26 x 12 - 12NHS I-1 (TL) | 510363       | 10  | 647,70                | 297,18             | 10,50            | 1923                       | 1410                            | 358     | 13,09            |
| 9.5L - 14SL I-1 (TT)     | 51F299       | 8   | 746,76                | 233,68             | 7,00             | 2210                       | 1088                            | 303     | 11,59            |
| 9.5L - 14SL I-1 (TL)     | 51F399       | 8   | 746,76                | 233,68             | 7,00             | 2210                       | 1088                            | 303     | 13,47            |
| 11L - 14SL I-1 (TL)      | 51F391       | 8   | 751,84                | 269,24             | 8,00             | 2228                       | 1120                            | 248     | 14,73            |
| 5.00 - 15SL I-1 (TT)     | 51F235       | 4   | 640,08                | 137,16             | 4,00             | 1897                       | 430                             | 248     | 5,43             |
| 5.90 - 15SL I-1 (TT)     | 51F252       | 4   | 668,02                | 160,02             | 4,50             | 1979                       | 517                             | 248     | 6,11             |
| 6.70 - 15SL I-1 (TL)     | 51F388       | 6   | 716,28                | 182,88             | 4,50             | 2126                       | 730                             | 303     | 8,69             |
| 6.70 - 15SL I-1 (TL)     | 560353       | 6   | 716,30                | 182,90             | 4,50             | 2126                       | 730                             | 303     | 10,40            |
| 7.60 - 15SL I-1 (TT)     | 51F237       | 8   | 728,98                | 200,66             | 5,50             | 2144                       | 948                             | 358     | 10,66            |
| 7.60 - 15SL I-1 (TL)     | 51F337       | 8   | 728,98                | 200,66             | 5,50             | 2159                       | 948                             | 358     | 12,66            |
| 7.60 - 15SL I-1 (TL)     | 51F3371      | 8   | 728,98                | 728,98             | 5,50             | 85                         | 945                             | 358     | 11,93            |
| 9.5L - 15SL I-1 (TL)     | 51F344       | 8   | 759,46                | 233,68             | 7,00             | 2248                       | 1120                            | 303     | 11,88            |
| 9.5L - 15SL I-1 (TL)     | 51F3441      | 8   | 759,46                | 233,68             | 7,00             | 2248                       | 1120                            | 303     | 11,88            |
| 9.5L - 15SL I-1 (TL)     | 51F3D7       | 12  | 759,46                | 233,68             | 7,00             | 2248                       | 1360                            | 441     | 13,66            |
| 10.00 - 15SL I-1 (TL)    | 51F385       | 8   | 848,36                | 279,40             | 8,00             | 2504                       | 1451                            | 275     | 21,18            |
| 11L - 15SL I-1 (TT)      | 51F2181      | 8   | 777,24                | 279,40             | 8,00             | 2301                       | 1152                            | 248     | 12,76            |
| 11L - 15SL I-1 (TL)      | 51F318       | 8   | 777,24                | 297,18             | 8,00             | 2301                       | 1152                            | 248     | 14,85            |
| 11L - 15SL I-1 (TL)      | 51F3181      | 8   | 777,24                | 297,18             | 8,00             | 2301                       | 1152                            | 248     | 14,85            |
| 11L - 15SL I-1 (TL)      | 51F317       | 12  | 777,24                | 271,78             | 8,00             | 2301                       | 1451                            | 358     | 18,88            |
| 12.5L - 15SL I-1 (TL)    | 51F340       | 8   | 828,04                | 307,34             | 10,00            | 2451                       | 1360                            | 248     | 24,28            |
| 12.5L - 15SL I-1 (TT)    | 51F241       | 10  | 828,04                | 307,34             | 10,00            | 2451                       | 1551                            | 303     | 21,55            |
| 12.5L - 15SL I-1 (TL)    | 51F341       | 10  | 828,04                | 307,34             | 10,00            | 2451                       | 1551                            | 303     | 24,28            |
| 12.5L - 15SL I-1 (TL)    | 51F305       | 12  | 828,04                | 307,34             | 10,00            | 2451                       | 1750                            | 358     | 26,87            |
| 14L - 16.1SL I-1 (TL)    | 510131       | 8   | 940,82                | 365,00             | 11,00            | 2756                       | 1596                            | 193     | 31,26            |
| 16.5L - 16.1SL I-1 (TL)  | 51F350       | 10  | 1036,32               | 434,34             | 14,00            | 2985                       | 2358                            | 248     | 45,81            |
| 16.5L - 16.1SL I-1 (TL)  | 561854       | 10  | 1028,70               | 421,60             | 14,00            | 3053                       | 2359                            | 248     | 37,60            |
| *18L - 16.1SL I-1 (TL)   | 510130       | 10  | 825,50                | 431,80             | 14,00            | 2418                       | 1896                            | 220     | 32,66            |
| 21.5L - 16.1SL I-1 (TL)  | 510135       | 10  | 1130,30               | 546,10             | 18,00            | 3354                       | 2993                            | 193     | 51,71            |
| 21.5L - 16.1SL I-1 (TL)  | 510136       | 14  | 1130,30               | 546,10             | 18,00            | 3354                       | 3560                            | 248     | 61,69            |

(TT) indicates a tube-type tire. (TL) indicates a tubeless tires. These tires are not for highway use.

\* NOTE: 18L-16.1SL I-1 is a 7 Rib Design.



## FARM SPECIALIST® HF-1 IMPLEMENT

Front Tractor, Wagons, Balers Spreaders,  
Seeders & Feed yard Mixers

Tough compound used for higher performance on wagons, tankers, seeders, balers and other flotation devices.

| Size                        | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 48km/h) | Max kPa | Tire Weight (kg) |
|-----------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 25 x 7.50-15NHS HF-1 (TL)   | 51F378       | 6   | 640,08                | 190,50             | 5,50             | 1862                       | 557                             | 310     | 10,07            |
| 27 x 9.50-15NHS HF-1 (TL)   | 51F395       | 6   | 685,80                | 242,57             | 7,00             | 2012                       | 730                             | 310     | 13,14            |
| 31 x 13.50-15NHS HF-1 (TL)  | 51F397       | 8   | 807,72                | 350,52             | 10,00            | 2393                       | 1188                            | 310     | 26,76            |
| 31 x 13.50-15NHS HF-1 (TL)  | 51F307       | 10  | 812,80                | 355,60             | 10,00            | 2390                       | 1397                            | 413     | 27,44            |
| 31 x 13.50-15NHS HF-1 (TL)  | 570060       | 12  | 819,59                | 369,32             | 10,00            | 2423                       | 1596                            | 517     | 30,84            |
| 31 x 13.50-15 NHS HF-1 (TL) | 51F396       | 6   | 807,72                | 342,90             | 10,00            | 2388                       | 948                             | 206     | 22,26            |

„NHS” tires are Non-Highway Service tires.



## TRAC CHIEF® I-3

Traction implement and backhoe service. An outstanding tire for backhoe and other traction implement applications.

| Size                | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 40km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|---------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|---------------------|------------------|
| * 10.5/80 - 18 (TL) | 570120       | 10  | 904,24                | 274,32             | 9,00             | 2680                       | 1741                            | 372     | 37,64               | 31,95            |
| * 12.5/80 - 18 (TL) | 570121       | 12  | 977,90                | 317,50             | 9,00             | 2911                       | 2431                            | 379     | 44,90               | 43,54            |
| 12.4 - 16 (TL)      | 570122       | 6   | 944,88                | 327,66             | 11,00            | 2746                       | 1061                            | 206     | 36,28               | 36,05            |

These tires are not for highway use. \*NOTE: With mud breakers between shoulders.







## TRAC CHIEF® XT



For skid steer, backhoe, subcompact tractor, aerial platform lifts, rough terrain forklift and other applications, but where extra load is a requirement. An extra load all-purpose skid steer tire.

| Size    | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tire Weight (kg) |
|---------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|------------------|
| 10-16.5 | 5701401      | 10  | 777,24                | 274,32             | 8,25             | 2294                       | 2136                           | 517     | 27,21            |
| 12-16.5 | 5701411      | 12  | 833,1                 | 833,12             | 9,75             | 2428                       | 2867                           | 551     | 27,21            |

These tires are not for highway use.



## TURF PRO R-3 & TURF PRO PLUS R-3



Flotation tread design for general turf, maintenance and mowing requirements.

| Size                   | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 40km/h) | Max kPa | Tire Weight (kg) |
|------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 13.6 - 16 (TL)         | 570080       | 4   | 970,30                | 406,40             | 12,0             | 2865                       | 712                             | 96      | 37,30            |
| 9.5 - 24 (TL)          | 570084       | 6   | 1023,60               | 241,30             | 8,00             | 3061                       | 848                             | 206     | 26,73            |
| 11.2 - 24 (TL)         | 570085       | 6   | 1077,00               | 284,50             | 10,00            | 3208                       | 943                             | 179     | 37,29            |
| Size                   | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 48km/h) | Max kPa | Tire Weight (kg) |
| 31 x 15.5 - 15NHS (TL) | 560589       | 8   | 769,60                | 360,70             | 13,00            | 2296                       | 1252                            | 310     | 26,53            |

These tires are not for highway use. \*NOTE: 31x15.5-15 Turf Pro Plus R3 has a max capacity at 30 mph / 48,2803 km/hr. The Turf Pro Plus is a turf-friendly design with rounded shoulders.



## MULTI TRAC CS R-3

### Front Tractor, Wagons, Balers Spreaders, Seeders & Feed yard Mixers

For general turf and mowing applications. Flotation design with minimal ground disturbance for light turf, mowing and maintenance requirements.

| Size                    | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 30km/h) | Max kPa | Tire Weight (kg) |
|-------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 29 x 12.50 - 15NHS (TL) | 560454       | 6   | 741,70                | 309,90             | 10,00            | 2195                       | 776                             | 206,8   | 16,30            |
| 36 x 14.00 - 15NHS (TL) | 560361       | 4   | 914,40                | 355,60             | 10,00            | 2672                       | 1179,34                         | 137     | 26,76            |
| 41 x 14.00 - 20NHS (TL) | 570083       | 4   | 1066,80               | 374,70             | 11,00            | 3190                       | 1397,06                         | 179     | 45,92            |
| 44 x 18.00 - 20NHS (TL) | 6A0375       | 6   | 1137,90               | 11120              | 14,00            | 132,3                      | 1950                            | 206     | 61,20            |

„NHS” tires are Non-Highway Service tires.



## XTRA GRIP R-4

### Front Tractor, Wagons, Balers Spreaders, Seeders & Feed yard Mixers

A heavy duty design for backhoe and industrial applications. When traction is a must.

| Size                 | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 40km/h) | Max kPa | Tire Weight (kg) |
|----------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 43 x 16.00 - 20 (TL) | 570059       | 6   | 1092,20               | 425,45             | 14,00            | 3212                       | 1687                            | 206     | 53,00            |

These tires are not for highway use.







## WT300 [Work Turf]



A new addition to Carlisle's skid steer choices.

New turf friendly compact skid steer tractor design for landscaping and other light duty applications.

| Size                   | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|------------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 18 x 8.50 - 10NHS (TL) | 570046       | 4   | 464,80                | 205,70             | 6,00             | 1392                       | 376                             | 151     | 5,57             |
| 26 x 12 - 12NHS (TL)   | 570042       | 4   | 652,80                | 315,00             | 9,50             | 1935                       | 798                             | 137     | 12,79            |

„NHS” tires are Non-Highway Service tires.



## GUARD DOG® HD

### Skid Steers, Backhoes, Subcompact Tractors, Aerial Platform Lifts, Rough Terrain Forklifts

HD premium performance for skid steer and backhoe applications. Where premium skid steer performance is required, choose the Guard Dog HD. Increased puncture and abrasion resistance, coupled with deeper tread depth. Designed for optimum service life.



| Size                 | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|----------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|---------------------|------------------|
| 10-16.5NHS (TL)      | 570130       | 10  | 783,59                | 262,12             | 8,25             | 2294                       | 2136                           | 517     | 26                  | 25,65            |
| 33 X15.50 -16.5 (TL) | 570031       | 12  | 833,12                | 365,76             | 12,00            | 2472                       | 3100                           | 413     | 28                  | 43,99            |

„NHS” tires are Non-Highway Service tires.



## ULTRA GUARD®

### Skid Steers, Backhoes, Subcompact Tractors, Aerial Platform Lifts, Rough Terrain Forklifts

Severe service skid steer. The Ultra Guard is a severe service skid steer tire with open shoulder design and super rugged heavy duty construction for tough conditions. Abrasion resistant tread compound. Deep tread depth and heavy ply ratings make this tire a must have for extreme environments.

| Size              | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|-------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|---------------------|------------------|
| 10 - 16.5NHS (TL) | 560402       | 10  | 772,92                | 264,16             | 8,25             | 2347                       | 2136                           | 517     | 44                  | 35,94            |
| 12 - 16.5NHS (TL) | 560403       | 12  | 831,34                | 307,34             | 9,75             | 2515                       | 2866                           | 551     | 44                  | 45,17            |

„NHS” tires are Non-Highway Service tires.



## ULTRA GUARD® LVT

### Skid Steers, Backhoes, Subcompact Tractors, Aerial Platform Lifts, Rough Terrain Forklifts

The Ultra Guard LVT is an extreme service skid steer tire with two wide pattern blocks for increased tread wear and longer life. The Ultra Guard LVT also features a thicker sidewall rubber gauge for enhanced sidewall protection and a center bar for extended tread-wear life at the crown. Ultra Guard LVT's performance excels when resistance is needed on the work site against abrasive materials such as rocks, concrete or general demolition.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|---------------------|------------------|
| 10-16.5NHS (TL) | 570075       | 10  | 797,56                | 276,86             | 8,25             | 2347                       | 2136                           | 517     | 44                  | 40,82            |
| 12-16.5NHS (TL) | 570076       | 14  | 835,66                | 332,74             | 9,75             | 2515                       | 3075                           | 620     | 44                  | 50,80            |
| 14-17.5NHS (TL) | 570077       | 14  | 920,75                | 349,25             | 10,50            | 2769                       | 3873                           | 551     | 44                  | 59,87            |

„NHS” tires are Non-Highway Service tires.







## ULTRA GUARD® MX

The Ultra Guard® MX, like the existing Ultra Guard series, is designed for severe duty applications. Yet, it also provides unique tire features specifically designed for mixed surface applications. The Ultra Guard MX includes a premium chip/chunk-resistant compound, reinforced sidewall and rim guard technology to protect against worksite debris. It also features unique shoulder grips to increase bite in soft conditions. The robust center lugs and large contact area of the footprint provide stability, while the deep tread depth offers extended wear and puncture resistance.

| Size           | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|----------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|---------------------|------------------|
| 10 - 16.5 (TL) | 6A0325       | 10  | 797,80                | 279,40             | 8,25             | 2342                       | 2136                           | 517     | 33                  | 32,90            |
| 12 - 16.5 (TL) | 6A0326       | 14  | 831,30                | 331,00             | 9,75             | 2436                       | 3075                           | 620     | 33                  | 45,40            |
| 14 - 17.5 (TL) | 6A0327       | 14  | 914,70                | 365,50             | 10,50            | 2697                       | 3874                           | 551     | 33                  | 53,10            |



## USA LOADER®

### Skid Steers, Backhoes, Subcompact Tractors, Aerial Platform Lifts, Rough Terrain Forklifts

A great tire for loaders of every type.

For aerial platform lifts, backhoes and skid steer loaders, USA loader is a solid choice.

| Size              | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|-------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|---------------------|------------------|
| 10 - 16.5NHS (TL) | 510713       | 10  | 784,86                | 269,24             | 8,25             | 2352                       | 2140                           | 517     | 26                  | 26,89            |

„NHS” tires are Non-Highway Service tires.

## FAST FACTS

Did you know? The first four-wheel skid-steer was developed in the 1960s. Skid steers have 4 wheels that are locked in synchronization on each side. The left and the right side wheels can be driven independently. When turning the left or right wheels, the machine turns by skidding the other wheels across the surface allowing for a zero-turn radius.



## TRAC CHIEF

Rugged tread compound and flat profile increases traction and stability for general duty skid steer and compact tractor applications.

| Size                | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tire Weight (kg) | Tread Depth (32nds) |
|---------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|------------------|---------------------|
| 18x8.50-10NHS (TL)  | 51S311       | 4   | 462,28                | 203,20             | 7,00             | 1394                       | 376                            | 152     | 6,76             | 16                  |
| 20x8.00-10NHS (TL)  | 560483       | 4   | 490,22                | 208,28             | 7,00             | 1451                       | 549                            | 241     | 7,95             | 16                  |
| 5.70-12NHS (TL)     | 51S3C2       | 4   | 568,96                | 144,78             | 4,50             | 1712                       | 658                            | 414     | 7,06             | 17                  |
| 23x8.50-12SS (TL)   | 51S3C3       | 4   | 584,20                | 203,20             | 7,00             | 1750                       | 667                            | 241     | 10,08            | 14                  |
| 23x8.50-12SS (TL)   | 51S3G8       | 6   | 574,04                | 213,36             | 7,00             | 1750                       | 826                            | 345     | 11,84            | 26                  |
| 26x12.00-12NHS (TL) | 51S361       | 4   | 647,70                | 314,96             | 10,50            | 1941                       | 807                            | 138     | 17,37            | 21                  |
| 23x8.50-14NHS (TL)  | 51S388       | 4   | 584,20                | 203,20             | 7,00             | 1758                       | 708                            | 241     | 10,26            | 17                  |
| 25x8.50-14SS (TL)   | 51S379       | 6   | 655,32                | 213,36             | 7,00             | 1958                       | 966                            | 345     | 13,70            | 17                  |
| 27x12.5-15NHS (TL)  | 560484       | 4   | 711,20                | 304,80             | 10,00            | 2111                       | 921                            | 138     | 18,61            | 19                  |
| 27x8.50-15SS (TL)   | 51S339       | 6   | 678,18                | 228,60             | 7,00             | 2027                       | 1089                           | 345     | 16,77            | 17                  |
| 27x10.50-15SS (TL)  | 51S3H7       | 6   | 680,72                | 264,16             | 8,50             | 2035                       | 1184                           | 310     | 16,44            | 17                  |
| 27x10.50-15SS (TL)  | 560369       | 8   | 690,88                | 259,08             | 8,50             | 2065                       | 1696                           | 414     | 18,73            | 17                  |
| 28x8.5-15NHS (TL)   | 570139       | 6   | 717,55                | 222,25             | 7,00             | 2123                       | 848                            | 310     | 14,61            | 16                  |
| 12.4-16 (TL)        | 570122       | 6   | 944,88                | 327,66             | 11,00            | 2746                       | 1061                           | 207     | 36,06            | 30                  |
| 10-16.50NHS (TL)    | 51S3C8       | 6   | 774,70                | 271,78             | 8,25             | 2233                       | 1588                           | 310     | 20,55            | 19                  |
| 10-16.50NHS (TL)    | 51S3D1       | 8   | 774,70                | 271,78             | 8,25             | 2339                       | 1878                           | 414     | 20,58            | 19                  |
| 12-16.50NHS (TL)    | 51S3C9       | 6   | 833,12                | 307,34             | 9,75             | 2532                       | 1914                           | 276     | 25,85            | 23                  |
| 12-16.5NHS (TL)     | 51S3J7       | 10  | 833,12                | 307,34             | 9,75             | 2532                       | 2540                           | 448     | 28,80            | 23                  |
| 14-17.5NHS (TL)     | 510027       | 6   | 906,78                | 347,98             | 10,50            | 2781                       | 2186                           | 207     | 37,65            | 25                  |
| 14-17.5NHS (TL)     | 510039       | 14  | 916,94                | 358,14             | 10,50            | 2781                       | 3874                           | 552     | 38,33            | 25                  |
| 10.5/80-18 (TL)     | 570120       | 10  | 904,24                | 274,32             | 9,00             | 2680                       | 1742                           | 372     | 31,95            | 29                  |
| 12.5/80-18 (TL)     | 570121       | 12  | 977,90                | 317,50             | 9,00             | 2911                       | 2431                           | 379     | 43,54            | 31                  |
| 15-19.5NHS (TL)     | 510024       | 12  | 1008,38               | 411,48             | 12,25            | 2977                       | 4169                           | 414     | 52,62            | 26                  |
| 385/65D19.5 (TL)    | 511703       | 16  | 1017,27               | 414,02             | 12,30            | 3020                       | 4990                           | 655     | 52,62            | 25                  |

These tires are not for highway use.





## FARM SPECIALIST® R-1

Versatile tractor tire with multi-angle long bar tread design offers maximum performance in a multitude of soil conditions.

| Size         | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 40km/h) | Max kPa | Tire Weight (kg) |
|--------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|---------------------------------|---------|------------------|
| 6-12 (TL)    | 570030       | 6   | 584,20                | 154,94             | 5,00             | 1750                       | 333                             | 276     | 8,20             |
| 7-14 (TL)    | 570000       | 6   | 688,34                | 187,96             | 6,00             | 2044                       | 449                             | 248     | 12,19            |
| 7-16 (TL)    | 570001       | 6   | 739,14                | 205,74             | 6,00             | 2204                       | 499                             | 248     | 15,32            |
| 8-16 (TL)    | 570002       | 6   | 797,56                | 213,36             | 6,00             | 2350                       | 617                             | 193     | 18,25            |
| 9.5-16 (TL)  | 570003       | 6   | 850,90                | 254,00             | 8,00             | 2492                       | 630                             | 207     | 24,02            |
| 8.3-24 (TL)  | 570004       | 6   | 993,14                | 210,82             | 7,00             | 2976                       | 730                             | 234     | 29,86            |
| 9.5-24 (TL)  | 570005       | 6   | 1048,00               | 241,30             | 8,00             | 3130                       | 848                             | 207     | 35,97            |
| 11.2-24 (TL) | 570006       | 6   | 1103,38               | 284,48             | 10,00            | 3278                       | 948                             | 179     | 40,46            |
| 12.4-24 (TL) | 570007       | 4   | 1158,75               | 314,96             | 11,00            | 3432                       | 848                             | 110     | 43,45            |
| 12.4-24 (TL) | 570008       | 8   | 1158,75               | 314,96             | 11,00            | 3432                       | 1284                            | 221     | 52,04            |
| 13.6-24 (TL) | 570009       | 6   | 1209,55               | 345,44             | 12,00            | 3573                       | 1216                            | 152     | 51,64            |

These tires are not for highway use.



## FARM SPECIALIST® R-1-HA

Long bar tread design with 45 degree angle, finished with a straight bar design offers maximum performance in a multitude of soil conditions.

| Size         | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Rolling Circumference (mm) | Max Load Capacity (kg @ 8km/h) | Max kPa | Tire Weight (kg) |
|--------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------|--------------------------------|---------|------------------|
| 9.5-24 (TL)  | 570034       | 6   | 1049,02               | 241,30             | 8,00             | 3130                       | 848                            | 207     | 30,82            |
| 11.2-24 (TL) | 570035       | 6   | 1102,36               | 284,50             | 10,00            | 3279                       | 948                            | 179     | 40,46            |

These tires are not for highway use.



## FARM SPECIALIST TRAC RADIAL

Versatile tractor tire with multi-angle long bar tread design offers maximum performance in a multitude of soil conditions.

| Product Code | Size                       | Rim (Permitted) | Rim (Alternative) | Section Withd (mm) | Overall Diameter (mm) | Load Index | Speed Index | Tyre Load Capacity (Kg) | Tyre Pressure at max. load (psi) |
|--------------|----------------------------|-----------------|-------------------|--------------------|-----------------------|------------|-------------|-------------------------|----------------------------------|
| 6A06732      | 440/65R24 FSTR 128/131 A8  | W14L*24         | W13*24,W15L*24    | 445                | 1185                  | 128/131    | D/A8        | 1800/1950               | 35                               |
| 6A06742      | 480/65 R24 FSTR 133/136 A8 | W15L*24         | W14L*24           | 480                | 1235                  | 133/136    | D/A8        | 2060/2240               | 35                               |
| 6A06752      | 440/65 R28 FSTR 131/134 A8 | W14L*28         | W13*28,W15L*28    | 445                | 1285                  | 131/134    | D/A8        | 1950/2120               | 35                               |
| 6A06762      | 480/65 R28 FSTR 142/145 A8 | W15L*28         | W14L*28           | 480                | 1337                  | 142/145    | D/A8        | 2650/2900               | 35                               |
| 6A06772      | 540/65 R28 FSTR 149/152 A8 | W16L*28         | W18L*28           | 550                | 1420                  | 149/152    | D/A8        | 3250/3550               | 35                               |
| 6A06782      | 600/65 R38 FSTR 159/162 A8 | DW20B*38        | W18L*38           | 595                | 1750                  | 159/162    | D/A8        | 4375/4750               | 35                               |
| 6A06792      | 650/65 R38 FSTR 163/166 A8 | DW20B*38        | W18*38            | 650                | 1820                  | 163/166    | D/A8        | 4875/5300               | 34                               |
| 6A07442      | 800/65 R32 FSTR 178/175 A8 | DW27*32         | No alternative    | 800                | 1858                  | 178/175    | A8/B        | 7500/6900               | 46                               |
| 6A06802      | 240/70 R16 FSTR 104/104 A8 | W8*16           | W8L*16,W9*16      | 245                | 745                   | 104/104    | A8/B        | 900/900                 | 34                               |
| 6A06812      | 260/70 R16 FSTR 109/109 A8 | W8*16           | W8L*16,W9*16      | 260                | 770                   | 109/109    | A8/B        | 1030/1030               | 34                               |
| 6A06822      | 280/70 R16 FSTR 112/112 A8 | W9*16           | W8*16,W10*16      | 282                | 798                   | 112/112    | A8/B        | 1120/1120               | 34                               |
| 6A06832      | 280/70 R18 FSTR 114/114 A8 | W9*18           | W8*18,W10*18      | 282                | 849                   | 114/114    | A8/B        | 1180/1180               | 34                               |
| 6A06842      | 280/70 R20 FSTR 116/116 A8 | W9*20           | W8*20,W10*20      | 282                | 900                   | 116/116    | A8/B        | 1250/1250               | 34                               |
| 6A06852      | 300/70 R20 FSTR 120/117 A8 | W9*20           | W10*20            | 295                | 952                   | 120/117    | A8/B        | 1400/1285               | 34                               |
| 6A06862      | 320/70 R20 FSTR 113/113 A8 | W10*20          | W9*20,W11*20      | 319                | 982                   | 113/113    | A8/B        | 1150/1150               | 23                               |
| 6A06872      | 360/70 R20 FSTR 129/129 A8 | W11*20          | W10*20,W12*20     | 357                | 1042                  | 129/129    | A8/B        | 1850/1850               | 34                               |
| 6A06882      | 320/70 R24 FSTR 116/116 A8 | W10*24          | W9*24,W11*24      | 319                | 1095                  | 116/116    | A8/B        | 1250/1250               | 23                               |
| 6A06892      | 360/70 R24 FSTR 122/122 A8 | W11*24          | W10*24,W12*24     | 357                | 1152                  | 122/122    | A8/B        | 1500/1500               | 23                               |
| 6A06902      | 380/70 R24 FSTR 125/125 A8 | W12*24          | W11*24,W13*24     | 380                | 1190                  | 125/125    | A8/B        | 1650/1650               | 23                               |
| 6A06912      | 420/70 R24 FSTR 130/130 A8 | W12*24          | W13*24,W14L*24    | 418                | 1248                  | 130/130    | A8/B        | 1900/1900               | 23                               |
| 6A06922      | 460/70 R24 FSTR 152/149 A8 | W14*24          | W15L*24,W16*24    | 460                | 1260                  | 152/149    | A8/B        | 3550/3250               | 23                               |
| 6A06932      | 360/70 R28 FSTR 125/125 A8 | W11*28          | W10*28,W12*28     | 357                | 1255                  | 125/125    | A8/B        | 1650/1650               | 23                               |
| 6A06942      | 380/70 R28 FSTR 127/127 A8 | W12*28          | W11*28,W13*28     | 380                | 1293                  | 127/127    | A8/B        | 1750/1750               | 23                               |
| 6A06952      | 420/70 R28 FSTR 133/133 A8 | W12*28          | W13*28,W14L*28    | 418                | 1351                  | 133/133    | A8/B        | 2060/2060               | 23                               |
| 6A06962      | 480/70 R28 FSTR 140/140 A8 | W15L*28         | W14L*28,W16L*28   | 480                | 1425                  | 140/140    | A8/B        | 2500/2500               | 23                               |
| 6A06972      | 420/70 R30 FSTR 134/131 A8 | W12*30          | W13*30,W14L*30    | 418                | 1400                  | 134/131    | A8/B        | 2120/1950               | 23                               |
| 6A06982      | 480/70 R30 FSTR 141/138 A8 | W15L*30         | W14L*30,W16L*30   | 480                | 1480                  | 141/138    | A8/B        | 2575/2360               | 23                               |
| 6A06992      | 480/70 R34 FSTR 143/143 A8 | W15L*34         | W14L*34,W16L*34   | 479                | 1580                  | 143/143    | A8/B        | 2725/2725               | 23                               |
| 6A07002      | 480/70 R38 FSTR 145/142 A8 | W15L*38         | W14L*38,W16L*38   | 480                | 1685                  | 145/142    | A8/B        | 2900/2650               | 23                               |
| 6A07012      | 520/70 R38 FSTR 150/147 A8 | W16L*38         | W15L*38,W18L*38   | 516                | 1750                  | 150/147    | A8/B        | 3350/3075               | 23                               |
| 6A07022      | 580/70 R38 FSTR 155/152 A8 | W18L*38         | W18*38,DW20B*38   | 580                | 1830                  | 155/152    | A8/B        | 3875/3550               | 23                               |
| 6A07032      | 620/75 R30 FSTR 163/161 A8 | DW20B*30        | No alternative    | 630                | 1695                  | 163/161    | A8/B        | 4875/4625               | 35                               |
| 6A07042      | 650/75 R32 FSTR 172/172 A8 | DW21B*32        | DW20B*32,DW23B*32 | 650                | 1795                  | 172/172    | A8/B        | 6300/6300               | 46                               |
| 6A07052      | 280/85 R20 FSTR 112/109 A8 | W10*20          | W9*20             | 282                | 984                   | 112/109    | A8/B        | 1120/1030               | 23                               |
| 6A07062      | 320/85 R20 FSTR 119/116 A8 | W11*20          | W9*20,W10*20      | 319                | 1052                  | 119/116    | A8/B        | 1360/1250               | 23                               |
| 6A07072      | 280/85 R24 FSTR 115/112 A8 | W10*24          | W9*24             | 282                | 1086                  | 115/112    | A8/B        | 1215/1120               | 23                               |





| Tyre Size | Tubeless / Tube Type       | Rim<br>(Permitted) | Rim<br>(Alternative) | Section<br>Withd<br>(mm) | Overall<br>Diameter<br>(mm) | Load<br>Index | Speed<br>Index | Tyre Load<br>Capacity<br>(Kg) | Tyre<br>Pressure<br>at max.<br>load (psi) |
|-----------|----------------------------|--------------------|----------------------|--------------------------|-----------------------------|---------------|----------------|-------------------------------|-------------------------------------------|
| 6A07082   | 320/85 R24 FSTR 122/119 A8 | W11*24             | W9*24,W10*24         | 319                      | 1154                        | 122/119       | A8/B           | 1500/1360                     | 23                                        |
| 6A07092   | 340/85 R24 FSTR 125/122 A8 | W12*24             | W11*24               | 343                      | 1188                        | 125/122       | A8/B           | 1650/1500                     | 23                                        |
| 6A07102   | 380/85 R24 FSTR 131/128 A8 | W12*24             | W11*24,W13*24        | 380                      | 1256                        | 131/128       | A8/B           | 1950/1800                     | 23                                        |
| 6A07112   | 420/85 R24 FSTR 137/134 A8 | W15L*24            | W13*24,W 14* 24      | 418                      | 1324                        | 137/134       | A8/B           | 2300/2060                     | 23                                        |
| 6A07122   | 280/85 R28 FSTR 118/115 A8 | W10*28             | W9*28                | 282                      | 1187                        | 118/115       | A8/B           | 1320/1215                     | 23                                        |
| 6A07132   | 320/85 R28 FSTR 124/121 A8 | W11*28             | W9*28,W10*28         | 320                      | 1255                        | 124/121       | A8/B           | 1600/1450                     | 23                                        |
| 6A07142   | 340/85 R28 FSTR 127/124 A8 | W12*28             | W11*28,W13*28        | 343                      | 1289                        | 127/124       | A8/B           | 1750/1600                     | 23                                        |
| 6A07152   | 380/85 R28 FSTR 133/130 A8 | W12*28             | W11*28,W13*28        | 380                      | 1357                        | 133/130       | A8/B           | 2060/1900                     | 23                                        |
| 6A07162   | 420/85 R28 FSTR 139/136 A8 | W15L*28            | W13*28,W 14* 28      | 418                      | 1425                        | 139/136       | A8/B           | 2430/2240                     | 23                                        |
| 6A07172   | 380/85 R30 FSTR 135/132 A8 | W12*30             | W11*30,W13*30        | 380                      | 1408                        | 135/132       | A8/B           | 2180/2000                     | 23                                        |
| 6A07182   | 420/85 R30 FSTR 140/137 A8 | W15L*30            | W13*30,W 14* 30      | 418                      | 1476                        | 140/137       | A8/B           | 2500/2300                     | 23                                        |
| 6A07192   | 460/85 R30 FSTR 145/142 A8 | W16L*30            | W14L*30,W15L*30      | 455                      | 1544                        | 145/142       | A8/B           | 2900/2650                     | 23                                        |
| 6A07202   | 420/85 R34 FSTR 142/139 A8 | W15L*34            | W13*34,W 14* 34      | 418                      | 1578                        | 142/139       | A8/B           | 2650/2430                     | 23                                        |
| 6A07212   | 460/85 R34 FSTR 147/144 A8 | W16L*34            | W14L*34,W15L*34      | 455                      | 1646                        | 147/144       | A8/B           | 3075/2800                     | 23                                        |
| 6A07222   | 340/85 R36 FSTR 132/129 A8 | W12*36             | W11*36,W13*36        | 343                      | 1495                        | 132/129       | A8/B           | 2000/1850                     | 23                                        |
| 6A07232   | 340/85 R38 FSTR 133/130 A8 | W12*38             | W11*38,W13*38        | 343                      | 1545                        | 133/130       | A8/B           | 2060/1900                     | 23                                        |
| 6A07242   | 380/85 R38 FSTR 139/136 A8 | W12*38             | W11*38,W13*38        | 380                      | 1611                        | 139/136       | A8/B           | 2430/2240                     | 23                                        |
| 6A07252   | 420/85 R38 FSTR 144/141 A8 | W15L*38            | W13*38,W14*38        | 418                      | 1679                        | 144/141       | A8/B           | 2800/2575                     | 23                                        |
| 6A07262   | 460/85 R38 FSTR 149/146 A8 | W16L*38            | W14L*38,W15L*38      | 455                      | 1747                        | 149/146       | A8/B           | 3250/3000                     | 23                                        |
| 6A07272   | 520/85 R38 FSTR 155/152 A8 | DW16L*38           | DW18L*38             | 516                      | 1849                        | 155/152       | A8/B           | 3875/3550                     | 23                                        |
| 6A07282   | 520/85 R42 FSTR 157/157 A8 | DW16L*42           | DW18L*42             | 516                      | 1955                        | 157/157       | A8/B           | 4125/4125                     | 23                                        |
| 6A07362   | 9,5 R20 FSTR 108/105 A8    | W8*20              | W7*20                | 241                      | 938                         | 108/105       | A8/B           | 1000/925                      | 23                                        |
| 6A07292   | 210/95 R32 FSTR 114/114 A8 | W7*32              | W6*32,6LB*32         | 215                      | 810                         | 114/114       | A8/B           | 1180/1180                     | 34                                        |
| 6A07302   | 230/95 R32 FSTR 128/128 A8 | W7*32              | W8*32                | 230                      | 1255                        | 128/128       | A8/B           | 1800/1800                     | 58                                        |
| 6A07312   | 270/95 R32 FSTR 136/136 A8 | W9*32              | W8*32,W10*32         | 275                      | 1330                        | 136/136       | A8/B           | 2240/2240                     | 58                                        |
| 6A07322   | 210/95 R44 FSTR 120/120 A8 | W7*44              | W6*44, 6LB*44        | 215                      | 1520                        | 120/120       | A8/B           | 1400/1400                     | 34                                        |
| 6A07332   | 230/95 R44 FSTR 132/132 A8 | W7*44              | W8*44                | 230                      | 1560                        | 132/132       | A8/B           | 2000/2000                     | 58                                        |
| 6A07342   | 300/95 R46 FSTR 148/148 A8 | W9*46              | W10*46,W11*46        | 300                      | 1740                        | 148/148       | A8/B           | 3150/3150                     | 58                                        |
| 6A07352   | 230/95 R48 FSTR 136/136 A8 | W7*48              | W8*48                | 230                      | 1660                        | 136/136       | A8/B           | 2240/2240                     | 58                                        |



# INDUSTRIAL

TREAD VIEW QUICK REFERENCE GUIDE






NEW




**Industrial Deep Traction**  
Page 54



**Road Roller** Page 54



**Industrial All Purpose** Page 54



**Premium Wide Trac** Page 55



**Ground Force Ultra Rib GSE**  
Page 55

*Featured*

## New Product!

Forklift and aterial handling tire applications with extra heavy duty sidewall. Industrial deep traction, heavy ply construction and increased guage deliver optimum tire life for material handling, mining, compaction and road paving tire requirements. Stabilizing features such as larger tread volume and a wide, flat profile insure premium forklift tire performance.

*See on page 54.*



## Carlisle Industrial Tires. Quality. Performance. Durability. Value.

Carlisle Industrial Tires are offered for a variety of special purpose industrial applications - material handling, forklift, mining, compaction, road paving, and airport ground support equipment, as well as general purpose applications. Engineered to reduce equipment down-time.



## INDUSTRIAL DEEP TRACTION

### Material Handling, Mining, Compaction and Road Paving Equipment

The Industrial Deep Traction is Carlisle's standard duty forklift tire. Features reinforced bead area. The choice of many forklift professionals.

| Size                  | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16 km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|-----------------------|--------------|-----|-----------------------|--------------------|------------------|----------------------------------|---------|---------------------|------------------|
| 5.70/5.00 - 8NHS (TT) | 60126        | 8   | 462,28                | 462,28             | 4.5/3.0          | 830**                            | 793     | 9                   | 5,2              |
| 6.90/6.00 - 9NHS (TT) | 60101        | 10  | 556,26                | 556,26             | 5.5/4.0          | 1685                             | 862     | 19                  | 9,2              |
| 6.50 - 10NHS (TT)     | 60105        | 10  | 594,36                | 594,36             | 5                | 1916                             | 793     | 20                  | 11,9             |
| 7.00 - 12NHS (TT)     | 60102        | 12  | 695,96                | 695,96             | 5                | 2719                             | 862     | 21                  | 16,5             |

Unless otherwise noted, load limits listed are for the Load Wheel on Counterbalanced Lift Trucks. Tire load limits will be lower if used on continuous service Industrial Vehicles. \*\* Load limit listed for Steer Wheel on Counterbalanced Lift Truck at 15 MPH = 24km/h.



## ROAD ROLLER

### Material Handling, Mining, Compaction and Road Paving Equipment

Smooth tread for paving with superior heat resistant nylon fabric panels.

| Size                 | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tire Weight (kg) |
|----------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|------------------|
| * 7.50 - 15NHS (TT)  | 60128        | 14  | 785                   | 785                | 6,0              | 2858                            | 862     | 20,6             |
| ** 8.5/90 - 15K (TL) | 58R3A2       | 6   | 785                   | 218                | 6,0              | 1769                            | 345     | 21,3             |

\* For 7.50-15 size tube type use 5 degree flat base rim only.

\*\* For 5 Degree Drop Center Rim only.



## INDUSTRIAL ALL PURPOSE

### General purpose rib design

| Size         | Product Code | Load Range | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|--------------|--------------|------------|-----------------------|--------------------|------------------|---------------------------------|---------|---------------------|------------------|
| 7.50-10 (TT) | 60100        | E          | 642,62                | 642,62             | 5,5              | 896                             | 621     | 12                  | 10,0             |





## PREMIUM WIDE TRAC

Forklift and aternal handling tire applications with extra heavy duty sidewall

Premium level design with extra heavy duty sidewall for material handling applications.

| Size                  | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|-----------------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|---------------------|------------------|
| 5.70/5.00 - 8NHS (TT) | 60118        | 8   | 462                   | 462                | 3,00             | 875                             | 827     | 17                  | 6,90             |
| 5.70/5.00 - 8NHS (TT) | 60122        | 10  | 470                   | 470                | 4.5/3.0          | 1061                            | 1034    | 17                  | 7,00             |
| 18 x 7 - 8NHS (TT)    | 60114        | 16  | 465                   | 465                | 4,33             | 2130                            | 1000    | 21                  | 10,40            |
| 6.90/6.00 - 9 (TT)    | 54P204       | 10  | 152,40                | 152,40             | 4,00             | 1662                            | 861     | 25                  | 13,00            |
| 6.90/6.00 - 9NHS (TT) | 60110        | 10  | 564                   | 564                | 5.5/4.0          | 1685                            | 862     | 32                  | 13,00            |
| 6.50 - 10NHS (TT)     | 60116        | 10  | 605                   | 605                | 5,00             | 1916                            | 793     | 32                  | 17,10            |
| 6.50 - 10 (TT)        | 54P267       | 12  | 609,60                | 190,50             | 5,00             | 2150                            | 965     | 25                  | 17,80            |
| 7.00 - 12NHS (TT)     | 60111        | 12  | 693                   | 693                | 5,00             | 2719                            | 862     | 32                  | 23,20            |
| 7.50 - 15NHS (TT)     | 60117        | 12  | 823                   | 823                | 6,00             | 3488                            | 793     | 22                  | 27,70            |
| 28 x 9 - 15NHS (TT)   | 60119        | 12  | 693                   | 693                | 7,00             | 3121                            | 827     | 18                  | 23,70            |
| 8.25 - 15NHS (TT)     | 60121        | 14  | 853                   | 853                | 6,50             | 4257                            | 827     | 24                  | 38,20            |
| 2.50 - 15NHS (TT)     | 60123        | 18  | 739                   | 739                | 7,50             | 4581                            | 1034    | 24                  | 30,80            |
| 3.00 - 15NHS (TT)     | 60124        | 20  | 831                   | 831                | 8,00             | 6577                            | 931     | 26                  | 53,60            |
| 28 x 12.00 - 15 (TT)  | 54P262       | 20  | 713,00                | 292,10             | 9,75             | 4899                            | 1034    | 19                  | 39,00            |
| 28 x 12 - 15NHS (TT)  | 60115        | 20  | 714                   | 714                | 9,75             | 4899                            | 1034    | 24                  | 37,20            |

Unless otherwise noted, load limits listed are for the Load Wheel on Counterbalanced Lift Trucks. Tire load limits will be lower if used on continuous service Industrial Vehicles.



## GROUND FORCE ULTRA RIB GSE

Designed for ground support equipment

Our Ground Support tires combine sturdy rib tread pattern, extra tread depth and premium tread compounding for durability and wear for use on airport ground support and similar equipment. Rim guard design for maximum wheel protection.

| Size            | Product Code | Ply | Mounted Diameter (mm) | Mounted Width (mm) | Rim Width (inch) | Max Load Capacity (kg @ 16km/h) | Max kPa | Tread Depth (32nds) | Tire Weight (kg) |
|-----------------|--------------|-----|-----------------------|--------------------|------------------|---------------------------------|---------|---------------------|------------------|
| 4.80 - 8 (TT)   | 60133        | 8   | 419                   | 419                | 3,75             | 526                             | 1000    | 11                  | 4,7              |
| 5.70 - 8 (TT)   | 52N208       | 8   | 467,40                | 149,90             | 3,75             | 667                             | 827,40  | ?                   | 5,80             |
| 6.90 - 9 (TT)   | 52N260       | 10  | 548,60                | 172,70             | 6,80             | 998                             | 861,90  | ?                   | 11,80            |
| 6.50 - 10 (TT)* | 60109        | 10  | 589                   | 589                | 5,00             | 1150                            | 793     | 24                  | 12,9             |
| 9.00 - 10 (TT)  | 52N221       | 10  | 690,90                | 246,40             | 6,00             | 1687                            | 586,10  | ?                   | 15,70            |
| 9.00 - 10 (TT)* | 60108        | 10  | 691                   | 691                | 6,00             | 1687                            | 586     | 9                   | 15,6             |
| 175/80D13 (TL)  | 52N3T9       | 8   | 602                   | 155                | 5,00             | 939                             | 793     | 24                  | 12,4             |

\* Straight Rib Design. Deep traction.



# WHEELS

Carlisle Steel Wheels.  
Quality. Performance. Durability. Value.







## NON-REVERSIBLE, SOLID CENTER, OFF WHITE AG WHEEL (BOXED)

Front Tractors, Wagons, Balers, Spreaders, Seeders, Irrigation Systems and Feed Yard Scrapers



| Part Number | Rim Size | Bolt Pattern | Offset  | Weight | Center Bore (in.) | Disc Thickness | Rim Thickness |
|-------------|----------|--------------|---------|--------|-------------------|----------------|---------------|
| 1519293038B | 15x6     | 6-6.0        | 0.875"  | 22,9   | 4,64              | 0.240"         | 0.138"        |
| 1519294038B | 15x8     | 6-6.0        | -1.500" | 26,5   | 6,02              | 0.240"         | 0.138"        |
| 1519299038B | 15x8     | 6-6.0        | 1.125"  | 27,0   | 4,64              | 0.240"         | 0.138"        |
| 1519300038B | 15x10    | 8-8.0        | -1.500" | 31,3   | 6,02              | 0.240"         | 0.138"        |
| 1619296038B | 16x6     | 6-6.0        | 1.000"  | 30,7   | 4,64              | 0.240"         | 0.138"        |
| 1619301038B | 16x8     | 8-8.0        | -1.500" | 31,1   | 6,02              | 0.240"         | 0.158"        |



## REVERSIBLE, COINED OFF WHITE AG WHEEL WITHOUT VALVE GUARD (BOXED)



| Part Number | Rim Size | Bolt Pattern | Offset | Weight | Center Bore (in.) | Disc Thickness | Rim Thickness |
|-------------|----------|--------------|--------|--------|-------------------|----------------|---------------|
| 1529843038B | 15x10    | 6-6.0        | 1.125" | 34,5   | 4,64              | 0.223"         | 0.155"        |
| 1529713038B | 15x5     | 6-6.0        | 1.125" | 23,0   | 4,64              | 0.223"         | 0.123"        |
| 1529771038B | 15x6     | 6-6.0        | 1.125" | 23,1   | 4,64              | 0.223"         | 0.134"        |
| 1529885038B | 15x8     | 6-6.0        | 1.125" | 26,3   | 4,64              | 0.223"         | 0.138"        |



## TUBES / FLAPS

Carlisle Industrial Tires.  
Quality. Performance. Durability. Value.

\* Availabilty upon stock level!







| Product Code | Size Description             | Valve    | Package Per Carton |
|--------------|------------------------------|----------|--------------------|
| 323844       | 4.00/4.50/4.80/5.30 -12 DR12 | TR13     | 51                 |
| 322160       | ER12/13                      | TR13     | 43                 |
| 322010       | FR13/14                      | TR13     | 34                 |
| 322020       | GR13/14/15                   | TR13     | 30                 |
| 322030       | KR14/15                      | TR13     | 24                 |
| 322170       | FR15                         | TR13     | 30                 |
| 322040       | MR14/15                      | TR13     | 20                 |
| 322050       | GR16/KR16                    | TR13     | 26                 |
| 322230       | 7.00/7.50R-15LT              | TR13CW   | 22                 |
| 322450       | 7.00/7.50R-15TR              | TR440    | 18                 |
| 322120       | 5.50/5.90/6.00/6.40-15SL     | TR15     | 32                 |
| 322300       | 7.00/7.50-16LT               | TR150    | 14                 |
| 322200       | 7.00/7.50R-16-LT             | TR13     | 14                 |
| 322430       | 7.00/7.50R-16-LT             | TR13CW   | 14                 |
| 322060       | 7.00/7.50R-16-LT             | TR150    | 14                 |
| 322220       | 7.00/7.50R-16-LT             | TR15CW   | 14                 |
| 322210       | 7.00/7.50R-16-LT             | TR440    | 13                 |
| 322080       | 8.25R20                      | TR442    | 12                 |
| 322090       | 9.00R20                      | TR443    | 8                  |
| 322330       | 10.00-20                     | TR444    | 8                  |
| 322100       | 10.00R20 12/80R-20           | TR444    | 7                  |
| 322110       | 11.00R20 13 / 80R-20         | TR444    | 6                  |
| 322460       | 10.00R20 14/ 80R-20          | TR444    | 6                  |
| 322270       | 10.00R-22                    | TR444    | 6                  |
| 322280       | 11.00R22                     | TR444    | 6                  |
| 323120       | 11.00/12.00R22.5             | TR300    | 6                  |
| 85485        | 90/100-14                    | TR4      | 56                 |
| 85484        | 70/100-17                    | TR4      | 66                 |
| 85486        | 2.75/3.00-17                 | TR4      | 61                 |
| 85487        | 2.75/3.00-18                 | TR4      | 60                 |
| 85482        | 3.25/3.50-18                 | TR4      | 50                 |
| 85483        | 3.25/3.50-19                 | TR4      | 50                 |
| 85481        | 2.75/3.00-21                 | TR4      | 50                 |
| 320050       | 2.80/2.50-4                  | TR87DG60 | 117                |
| 320010       | 2.80-4                       | JS87P-SW | 117                |
| 320031       | 9x3.50-4                     | JS87P-SW | 110                |
| 320030       | 9x3.50-4                     | TR87DG60 | 110                |
| 3200301      | 3.00-4                       | TR87     | 106                |
| 320020       | 4.10/3.50-4                  | JS87P-SW | 100                |
| 320100       | 4.10/3.50-4                  | TR87DG60 | 100                |
| 320040       | 410/350-4                    | TR13     | 100                |
| 3200401      | 11x4.00-4                    | TR87DG60 | 100                |
| 3200402      | 4.10x3.50-4, 11x4.00-4       | TR87DG60 | 100                |
| 320060       | 4.10/3.50-5                  | JS87P-SW | 94                 |
| 320200       | 4.10/3.50-5                  | TR87DG60 | 94                 |
| 320070       | 410/350-5                    | TR13     | 94                 |
| 320150       | 3.40/3.00-5                  | TR87DG60 | 94                 |

| Product Code | Size Description                         | Valve    | Package Per Carton |
|--------------|------------------------------------------|----------|--------------------|
| 323980       | 10x450-5                                 | TR87     | 97                 |
| 320080       | 11x400-5                                 | TR87     | 97                 |
| 323520       | 11x6.00-5                                | TR87DG60 | 60                 |
| 323970       | 11x7.10-5                                | TR87     | 59                 |
| 320250       | 4.10/3.50-6                              | TR87DG60 | 94                 |
| 320160       | 410/350-6                                | TR13     | 94                 |
| 320270       | 5.30/4.50-6                              | TR87DG60 | 53                 |
| 3202701      | 12x5.00-6, 13x5.00-6, 14x4.50-6          | TR13     | 55                 |
| 323790       | 13x5.00-6                                | TR13     | 55                 |
| 320260       | 13x5.00-6                                | TR87DG60 | 53                 |
| 320170       | 13x6.50-6                                | TR13     | 55                 |
| 320090       | 13x6.50-6                                | TR87     | 53                 |
| 323800       | 15x6.00-6                                | TR13     | 50                 |
| 320290       | 15x6.00-6                                | TR87DG60 | 50                 |
| 320035       | 16x8.00R-7                               | TR6      | 26                 |
| 3200351      | 16x8-7                                   | TR13     | 26                 |
| 320110       | 300-8                                    | TR13     | 88                 |
| 3201101      | 14x3.00-8                                | TR13     | 88                 |
| 320360       | 3.50/4.00-8                              | TR87DG60 | 85                 |
| 320120       | 350/400-8                                | TR13     | 85                 |
| 320400       | 4.80/4.00-8                              | TR13     | 70                 |
| 032393       | 4.80/4.00-8                              | TR6      | 70                 |
| 320130       | 480/400-8                                | TR87     | 70                 |
| 322410       | 4.80/4.00-8/9NHS 5.70/5.00-8NHS          | JS2      | 65                 |
| 320420       | 16x6.50/7.50-8                           | TR13     | 43                 |
| 3204201      | 16x6.50/7.50-8                           | TR6      | 43                 |
| 3204202      | 16x6.50/7.50-8 -8                        | TR87     | 38                 |
| 3204203      | 18x7-8                                   | TR13     | 43                 |
| 3204204      | 18x7-8                                   | TR6      | 43                 |
| 323820       | 5.70/5.00-8                              | JS2      | 40                 |
| 322810       | 5.70/5.00-8                              | TR13     | 43                 |
| 320450       | 5.70/5.00-8                              | TR13     | 43                 |
| 3204501      | 18x8.50/9.50-8                           | TR6      | 27                 |
| 320141       | 20x700R8                                 | TR6      | 27                 |
| 320440       | 21/22x11/12R-8                           | TR6      | 27                 |
| 3204401      | 22x11-8                                  | TR13     | 27                 |
| 320410       | 16x6.50/7.50/8.50/9.50-8 20x8.00/10.00-8 | TR13     | 27                 |
| 3204101      | 20x10-8                                  | TR6      | 27                 |
| 320140       | 20x700-8                                 | TR6      | 27                 |
| 323830       | 6.90/6.00-9                              | JS2      | 30                 |
| 321500       | 6.90/6.00-9                              | TR13     | 32                 |
| 321501       | 6.90/6.00-9                              | TR135    | 30                 |
| 321520       | 25x12/13R-9                              | TR6      | 21                 |
| 3215201      | 20x12.00-9                               | TR6      | 21                 |
| 3215202      | 22x11-9                                  | TR6      | 21                 |
| 3215203      | 25x12.00-9                               | TR13     | 21                 |
| 323840       | 6.50-10                                  | JS2      | 25                 |



| Product Code | Size Description                      | Valve  | Package Per Carton |
|--------------|---------------------------------------|--------|--------------------|
| 3238401      | 21x7-10                               | TR13   | 25                 |
| 3238402      | 21x7-10                               | TR6    | 25                 |
| 320770       | 20x8.00/10.00-10, 18x8.50-10          | TR13   | 24                 |
| 3207701      | 20.5x8.00-10                          | TR6    | 24                 |
| 3207702      | 21x9.00-10                            | TR13   | 24                 |
| 3207703      | 22x11-10                              | TR6    | 24                 |
| 3207704      | 22x8.00/9.00/10.00/11.00-10           | TR13   | 24                 |
| 320771       | AT20x8/10R10                          | TR6    | 24                 |
| 323842       | 7.50-10                               | TR135  | 18                 |
| 323845       | 7.50-10                               | TR6    | 18                 |
| 322302       | 9.00-10                               | TR150  | 18                 |
| 3223021      | 23x8.50/10.50-12                      | TR6    | 22                 |
| 3223022      | 22x7.5/9.0-12, 23x8.50/9.50/10.50-12, |        |                    |
| 3223023      | 24x10.50-12                           | TR13   | 22                 |
| 321370       | 23x8.50/10.50-12                      | TR13   | 22                 |
| 3213701      | 24x9-11                               | TR6    | 22                 |
| 3213702      | 24x8.50/10.50-12                      | TR13   | 22                 |
| 3213703      | 25x8-12                               | TR6    | 22                 |
| 321371       | AT22/23x8R11/12                       | TR6    | 22                 |
| 320900       | 4.80-12                               | TR13   | 50                 |
| 3209001      | 4.50/5.00-12                          | TR13   | 43                 |
| 320901       | 4.80/5.30-12                          | TR13   | 43                 |
| 320950       | 5.30-12                               | TR13   | 43                 |
| 323843       | 6.00-12(6-12)                         | TR13   | 41                 |
| 3238431      | 7.00-12                               | TR13   | 22                 |
| 3238432      | 7.00-12                               | TR13   | 22                 |
| 322420       | 7.00-12NHS                            | TR440  | 22                 |
| 3224201      | 24x12.00/13.00-12                     | TR13   | 16                 |
| 321050       | 24x12-12, 26x12-12                    | TR13   | 16                 |
| 324460       | 10.0/80-12                            | TR15   | 16                 |
| 321051       | AT24/26x12R12                         | TR6    | 16                 |
| 322390       | 8.5L/9.5L-14/15SL                     | TR13   | 15                 |
| 322350       | 4.00/5.00/5.50/5.90/6.00-15           | TR15   | 36                 |
| 3223501      | 27x8.50-15                            | TR13   | 22                 |
| 322070       | 7.00/7.50R-15LT                       | TR150  | 20                 |
| 323880       | 250-15                                | TR440  | 15                 |
| 323825       | 250-15                                | TR444  | 15                 |
| 323850       | 7.50/8.25-15                          | TR440  | 16                 |
| 322290       | 7/8/9-14.5 MH                         | TR300  | 18                 |
| 323860       | 28/29x8/9-15                          | TR440  | 16                 |
| 323920       | 29x8-15                               | TR440  | 16                 |
| 323870       | 8.25-15                               | TR442  | 12                 |
| 322240       | 8.25R-15TR                            | TR444  | 12                 |
| 323890       | 300-15                                | TR440  | 13                 |
| 323824       | 300-15                                | TR441  | 13                 |
| 322310       | 10/11R-15LT                           | TR13   | 10                 |
| 322250       | 9.00/10.00/11.00R-15TR                | TR444  | 12                 |
| 324290       | 11.5/80-15                            | TR15   | 14                 |
| 323770       | 18.4/19.5L/21LR-24                    | TR218A | 2                  |
| 324430       | 23.1-26                               | TR218A | 1                  |
| 3244301      | 23.1R26                               | TR218A | 1                  |

| Product Code | Size Description                   | Valve  | Package Per Carton |
|--------------|------------------------------------|--------|--------------------|
| 322250       | 32429011.5/80-15                   | TR15   | 14                 |
| 3222501      | 21x9.00-10                         | TR13   | 24                 |
| 3222502      | 22x11-10                           | TR6    | 24                 |
| 3222503      | 22x8.00/9.00/10.00/11.00-10        | TR13   | 24                 |
| 320771       | AT20x8/10R10                       | TR6    | 24                 |
| 323842       | 7.50-10                            | TR135  | 18                 |
| 323845       | 7.50-10                            | TR6    | 18                 |
| 322302       | 9.00-10                            | TR150  | 18                 |
| 3223021      | 23x8.50/10.50-12, 22x7.5/9.0-12,   | TR6    | 22                 |
| 3223022      | 23x8.50/9.50/10.50-12, 24x10.50-12 | TR13   | 22                 |
| 321370       | 23x8.50/10.50-12                   | TR13   | 22                 |
| 3213701      | 24x9-11                            | TR6    | 22                 |
| 3213702      | 24x8.50/10.50-12                   | TR13   | 22                 |
| 3213703      | 25x8-12                            | TR6    | 22                 |
| 321371       | AT22/23x8R11/12                    | TR6    | 22                 |
| 320900       | 4.80-12                            | TR13   | 50                 |
| 3209001      | 4.50/5.00-12                       | TR13   | 43                 |
| 320901       | 4.80/5.30-12                       | TR13   | 43                 |
| 320950       | 5.30-12                            | TR13   | 43                 |
| 323843       | 6.00-12(6-12)                      | TR13   | 41                 |
| 3238431      | 7.00-12                            | TR13   | 22                 |
| 3238432      | 7.00-12                            | TR13   | 22                 |
| 322420       | 7.00-12NHS                         | TR440  | 22                 |
| 3224201      | 24x12.00/13.00-12                  | TR13   | 16                 |
| 321050       | 24x12-12, 26x12-12                 | TR13   | 16                 |
| 324460       | 10.0/80-12                         | TR15   | 16                 |
| 321051       | AT24/26x12R12                      | TR6    | 16                 |
| 322390       | 8.5L/9.5L-14/15SL                  | TR13   | 15                 |
| 322350       | 4.00/5.00/5.50/5.90/6.00-15        | TR15   | 36                 |
| 3223501      | 27x8.50-15                         | TR13   | 22                 |
| 322070       | 7.00/7.50R-15LT                    | TR150  | 20                 |
| 323880       | 250-15                             | TR440  | 15                 |
| 323825       | 250-15                             | TR444  | 15                 |
| 323850       | 7.50/8.25-15                       | TR440  | 16                 |
| 322290       | 7/8/9-14.5 MH                      | TR300  | 18                 |
| 323860       | 28/29x8/9-15                       | TR440  | 16                 |
| 323920       | 29x8-15                            | TR440  | 16                 |
| 323870       | 8.25-15                            | TR442  | 12                 |
| 322240       | 8.25R-15TR                         | TR444  | 12                 |
| 323890       | 300-15                             | TR440  | 13                 |
| 323824       | 300-15                             | TR441  | 13                 |
| 322310       | 10/11R-15LT                        | TR13   | 10                 |
| 322250       | 9.00/10.00/11.00R-15TR             | TR444  | 12                 |
| 324290       | 11.5/80-15                         | TR15   | 14                 |
| 323770       | 18.4/19.5L/21LR-24                 | TR218A | 2                  |
| 324430       | 23.1-26                            | TR218A | 1                  |
| 3244301      | 23.1R26                            | TR218A | 1                  |





## TUBES

| Product Code | Size Description           | Valve  | Package Per Carton |
|--------------|----------------------------|--------|--------------------|
| 323590       | 11.2/12.4-28, 11.25-28SL   | TR218A | 6                  |
| 323591       | 11.2/12.4R-28, 11.25R-28SL | TR218A | 6                  |
| 324110       | 13.6/14.9R26/28            | TR218A | 5                  |
| 325580       | 16.9/18.4-26/28            | TR218A | 3                  |
| 323730       | 16.9/18.4R-26/28           | TR218A | 3                  |
| 323530       | 13.6/14.9-28               | TR218A | 4                  |
| 323750       | 13.6/14.9R-28              | TR218A | 4                  |
| 323741       | 14.9R30                    | TR218A | 3                  |
| 323610       | 16.9/18.4-30               | TR218A | 3                  |
| 323780       | 16.9/18.4R-30              | TR218A | 3                  |
| 3237801      | 23.1R30                    | TR218A | 2                  |
| 323742       | 24.5R32                    | TR218A | 2                  |
| 3237421      | 23.1R34                    | TR218A | 2                  |
| 324120       | 13.6/14.9R-34              | TR218A | 4                  |
| 3241201      | 20.8R34                    | TR218A | 3                  |
| 323700       | 16.9/18.4R-34              | TR218A | 3                  |
| 323650       | 11.2-34, 11.2/12.4-36      | TR218A | 5                  |
| 323651       | 11.2R-34, 11.2/12.4R-36    | TR218A | 5                  |
| 323570       | 14.9-36, 13.6/14.9/15.5-38 | TR218A | 4                  |
| 323620       | 13.6/13.9-36               | TR218A | 4                  |
| 323621       | 13.6/13.9R-36              | TR218A | 4                  |

|         |                                    |          |    |
|---------|------------------------------------|----------|----|
| 323720  | 14.9R-36, 13.6/14.9/15.5R-38       | TR218A   | 4  |
| 323630  | 11.2/12.4-38                       | TR218A   | 5  |
| 323631  | 11.2/12.4R38                       | TR218A   | 5  |
| 323560  | 16.9/18.4-38                       | TR218A   | 2  |
| 323690  | 16.9/18.4R-38                      | TR218A   | 2  |
| 323691  | 16.9/18.4R38, 480/80R38            | TR218A   | 2  |
| 323710  | 20.8R-38                           | TR218A   | 2  |
| 323740  | 18.4/20.8R-42                      | TR218A   | 2  |
| 323692  | 18.4/20.8R42 480/80R42 520/85R42   | TR218A   | 2  |
| 323693  | 16.9/18.4R46, 420/80R46, 480/80R46 | TR218A   | 2  |
| 323694  | 16.9/18.4R46, 420/80R46, 480/80R46 | TR218A   | 2  |
| 3236941 | 145/70-6                           | TR244A   | 53 |
| 3236942 | 25x10-12                           | TR6      | 16 |
| 324500  | AT26x8/9R14                        | TR6      | 24 |
| 323660  | 17.5-25                            | TRJ1175C | 2  |
| 323661  | 17.5R25                            | TRJ1175C | 2  |
| 323670  | 20.5-25                            | TRJ1175C | 2  |
| 323671  | 20.5R25                            | TRJ1175C | 2  |
| 323680  | 23.5-25                            | TRJ1175C | 1  |
| 323681  | 23.5R25                            | TRJ1175C | 1  |



## RIM FLAP

| Product Code | Size Description       | Valve | Package Per Carton |
|--------------|------------------------|-------|--------------------|
| 05508        | 8R3.0                  | OFF   | 120                |
| 05509        | 8-5.4                  | OFF   | 120                |
| 12311        | 8R7.0                  | ON    | 20                 |
| 11009        | 9R6.7                  | OFF   | 45                 |
| 12310        | 10R6.7                 | OFF   | 25                 |
| 12812        | 12R6.0                 | ON    | 20                 |
| 17015        | 15R6.50/7.00/7.50/8.25 | OFF   | 12                 |
| 19015        | 15R10.00               | ON    | 10                 |
| 17016        | 16R6.50/7.00/7.50/8.25 | ON    | 12                 |
| 170161       | 16R7.0                 | ON    | 12                 |
| 17020        | 20R.7.50/8.25          | ON    | 10                 |
| 18020        | 20R8.25                | ON    | 9                  |
| 20520        | 20R9.00/10.00          | ON    | 7                  |
| 21020        | 20R11.00/12.00         | ON    | 6                  |
| 23020        | 20R13.00/14.00         | ON    | 5                  |
| 20522        | 22R10.00/11.00         | ON    | 6                  |
| 19016        | 24R11.1                | OFF   | 5                  |
| 21024        | 11.00/12.00-24         | ON    | 5                  |